# LLNL Livermore Site Third Quarter 2014 Self-Monitoring Report

This quarterly report presents the third quarter 2014 self-monitoring data for the ground water and soil vapor treatment facilities at the Lawrence Livermore National Laboratory (LLNL) Livermore Site. The volumes of ground water and soil vapor treated, and volatile organic compound (VOC) mass removed during the third quarter of 2014 are presented in Tables 1 and 2, respectively. An historical summary of VOC volume and mass removed are presented in Tables 3 and 4, respectively.

Attachment A presents results of ground water treatment facility and extraction well (ground water and soil vapor) VOC, chromium, and bioassay analyses (Tables A-1 through A-5). During the third quarter of 2014, all effluent sample analytical results were within acceptable discharge limits.

Self-monitoring reports for all treatment facilities are presented in Attachment B. Monthly volumes of ground water extracted are shown in Attachment B; however, instantaneous flow rates are not shown for wells that are now only used for sampling and are not continuously pumped. The monthly volume shown for these wells is the quantity of water evacuated for sampling purposes.

A map showing Livermore Site treatment areas and treatment facility locations, and ground water elevation contour maps showing hydraulic capture zones for hydrostratigraphic units (HSUs) 1B, 2, 3A, 3B, 4, and 5, are presented in Attachment C. The contour maps for the individual HSUs are based on data collected during the third quarter of 2014.

This work performed under the auspices of the U.S. Department of Energy/National Nuclear Security Administration by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

Table 1. Volumes of ground water and soil vapor extracted and treated at the Livermore Site, July through September 2014.

Treatment Area <sup>a</sup>	Month	Volume of ground water extracted (Kgal) <sup>b</sup>	Volume of vapor extracted (Kcf) <sup>b</sup>
TFA	July	9,184	-
	August	8,879	-
	September	9,572	-
TFB	July	2,736	-
	August	2,257	-
	September	2,738	-
TFC	July	2,813	-
	August	1,776	-
	September	1,139	-
TFD	July	6,273	767
	August	5,266	702
	September	4,011	795
TFE	July	2,538	1,443
	August	2,053	500
	September	1,911	629
TFG	July	438	-
	August	382	-
	September	330	-
TFH	July	697	2,330
	August	633	1,968
	September	614	2,214
TOTAL		66,240	11,348

<sup>&</sup>lt;sup>a</sup> Totals include ground water and soil vapor extracted from the following facilities:

TFA area: TFA, TFA-E

TFB area: TFB

TFC area: TFC, TFC-E, TFC-SE

TFD area: TFD, TFD-E, TFD-HPD, TFD-S, TFD-SE, TFD-SS, TFD-W, VTFD-ETCS

TFE area: TFE-E, TFE-HS, TFE-NW, TFE-SE, TFE-SW, TFE-W, VTFE-ELM, VTFE-HS

TFG area: TFG-1, TFG-N

TFH area: TF406, TF406-NW, TF518-N, TF518-PZ, TF5475-1, TF5475-2, TF5475-3, VTF406-HS, VTF511, VTF518-PZ, VTF5475

TFF started operation in February 1993 for fuel hydrocarbon remediation. In August 1995, the regulatory agencies agreed that the vadose zone remediation was complete, and in October 1996 a No Further Action status was granted for the ground water.

<sup>&</sup>lt;sup>b</sup> Totals are derived from individual extraction wells shown in Attachment B.

<sup>&</sup>lt;sup>c</sup> Rounded number.

Kcf = Thousands of cubic feet.

**Kgal = Thousands of gallons.** 

Table 2. VOC mass removed at the Livermore Site, July through September 2014.

Treatment Area <sup>a</sup>	VOC mass removed from ground water (kg)	VOC mass removed from soil vapor (kg)	Total VOC mass removed (kg) <sup>b</sup>
TFA	1.0	-	1.0
TFB	0.5	-	0.5
TFC	0.7	-	0.7
TFD	4.1	0.4	4.5
TFE	1.8	0.4	2.2
TFG	0.10	-	0.1
TFH	0.2	4.6	4.8
TOTAL <sup>b</sup>	8.4	5.4	13.8

Table 3. Historical summary of volumes of water and soil vapor removed at the Livermore Site through September 2014.

Treatment Area <sup>a</sup>	Volume of ground water extracted (Mgal)	Volume of vapor extracted (Mcf)	
TFA	2,156	-	
TFB	520	-	
TFC	587	-	
TFD	1,199	136	
TFE	429	211	
TFG	96	-	
TFH	185	294	
TOTAL <sup>b</sup>	5,172	641	

Table 4. Historical summary of VOC mass removed from water and soil vapor at the Livermore Site through September 2014.

Treatment Area <sup>a</sup>	VOC mass removed from ground water (kg)	VOC mass removed from soil vapor (kg)	Total VOC mass removed (kg) <sup>b</sup>
TFA	218	-	218
TFB	85	-	85
TFC	115	-	115
TFD	901	100	1,001
TFE	237	158	395
TFG	13	-	13
TFH	42	1,289	1,331
TOTAL <sup>b</sup>	1,611	1,547	3,158

<sup>&</sup>lt;sup>a</sup> Refer to Table 1 footnote for facilities in each treatment facility area.

Abbreviations for Tables 2, 3 and 4:

kg = Kilograms.

Mcf = Millions of cubic feet.

Mgal = Millions of gallons.

**VOC** = **Volatile** organic compound.

<sup>&</sup>lt;sup>b</sup> Rounded number.

# Attachment A VOC, Chromium, and Bioassay Analyses

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample	Date	Analytic											
Station	Sampled	Method	CTET <-	CFORM -	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)		Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TFA													
TFA-I001	02-JUL-14	E601	< 0.5	0.85	0.61	< 0.5	0.99	<1	< 0.5	6	<0.5	0.62	< 0.5
TFA-I001	01-AUG-14	E601	< 0.5	0.95	0.72	< 0.5	1	<1	< 0.5	5.3	<0.5	0.59	< 0.5
TFA-I001	02-SEP-14	E601	<0.5	0.93	0.67	<0.5	0.96	<1	<0.5	5.3	<0.5	0.5	<0.5
TFA-E001	02-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFA-E001	01-AUG-14	E601	< 0.5	<0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
TFA-E001	02-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFA-E													
STU06-I	07-JUL-14	E601	< 0.5	<0.5	< 0.5	< 0.5	<0.5	<1	<0.5	4.5	< 0.5	< 0.5	< 0.5
STU06-I	01-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	4.6	< 0.5	< 0.5	< 0.5
STU06-I	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	5.1	<0.5	<0.5	<0.5
STU06-E	07-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
STU06-E	01-AUG-14	E601	< 0.5	<0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
STU06-E	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFB													
TFB-I002	02-JUL-14	E601	0.52	2.1	< 0.5	< 0.5	1.2	<1	3	1.1	<0.5	11	< 0.5
TFB-I002	04-AUG-14	E601	0.52	2.2	< 0.5	< 0.5	1.2	<1	2.9	1.1	<0.5	11	< 0.5
TFB-I002	02-SEP-14	E601	0.5	2.1	<0.5	<0.5	1.1	<1	2.8	1	<0.5	11	<0.5
TFB-E002	02-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFB-E002	04-AUG-14	E601	< 0.5	<0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TFB-E002	02-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC													
TFC-I003	01-JUL-14	E601	< 0.5	1.2	< 0.5	< 0.5	0.82	<1	11	3.7	< 0.5	12	< 0.5
TFC-I003	04-AUG-14	E601	< 0.5	1.1	< 0.5	< 0.5	0.75	<1	8.5	3.3	< 0.5	11	< 0.5
TFC-I003	02-SEP-14	E601	<0.5	1.8	<0.5	<0.5	1.4	<1	18	2	<0.5	15	<0.5
TFC-E003	01-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC-E003	04-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	< 0.5	< 0.5
TFC-E003	02-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC-E													
MTU1-I	09-JUL-14	E601	< 0.5	11	< 0.5	< 0.5	0.66	<1	7.9	< 0.5	<0.5	6.6	3.2
MTU1-I	06-AUG-14	E601	< 0.5	13	< 0.5	< 0.5	0.8	<1	9	< 0.5	<0.5	7.4	4
MTU1-I	04-SEP-14	E601	< 0.5	12	< 0.5	< 0.5	0.66	<1	7	< 0.5	< 0.5	6.7	2.9

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample Station	Date Sampled	Analytic Method	CTET <-	CFORM	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)	•	Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11
TFC-E (cont.)													
MTU1-E	09-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU1-E	06-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU1-E	04-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC-SE													
PTU1-I	07-JUL-14	E601	< 0.5	7.3	< 0.5	< 0.5	3.5	<1	6.9	< 0.5	< 0.5	20	<0.5
PTU1-I	04-AUG-14	E601	< 0.5	7.5	<0.5	< 0.5	3.2	<1	6.1	< 0.5	< 0.5	21	<0.5
PTU1-I	03-SEP-14	E601	<0.5	7.1	<0.5	<0.5	3.2	<1	6.3	<0.5	<0.5	20	<0.5
PTU1-E	07-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU1-E	04-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU1-E	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD <sup>a</sup>													
TFD-1004	01-JUL-14	E601	2	2.6	<0.5	< 0.5	0.92	<1	0.69	1.7	< 0.5	48	12
TFD-I004	01-AUG-14	E601	1.8	2.5	<0.5	< 0.5	0.94	<1	0.64	1.5	< 0.5	46	10
TFD-1004	22-SEP-14	E601	1.1	2.7	<0.5	< 0.5	<0.5	<1	<0.5	0.52	< 0.5	20	18
TFD-I004	29-SEP-14	E601	0.97	2	<0.5	< 0.5	< 0.5	<1	<0.5	0.51	< 0.5	15	17
TFD-I004	30-SEP-14	E624	<1	2	<1	<1	<1	<1	<1	<1	<1	17	15
TFD-E004	01-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-E004	01-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
TFD-E004	30-SEP-14	E624	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1
TFD-E													
PTU8-I	09-JUL-14	E601	4.4	1.3	< 0.5	< 0.5	3	<1	0.57	3.6	< 0.5	71	0.58
PTU8-I	06-AUG-14	E601	2.6	1	< 0.5	0.65	5.4	<1	< 0.5	4.9	< 0.5	73	0.77
PTU8-I	04-SEP-14	E601	3.3	1.1	<0.5	<0.5	3.4	<1	<0.5	2.8	<0.5	70	0.64
PTU8-E	09-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU8-E	06-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU8-E	04-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-HPD													
PTU10-I	15-JUL-14	E601	1.4	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	32	<0.5
PTU10-I	11-AUG-14	E601	1.4	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	<0.5	29	<0.5
PTU10-I	16-SEP-14	E601	1.4	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	31	<0.5
PTU10-E	15-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample	Date	Analytic											
Station	Sampled	Method	CTET <-	CFORM -	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)	1,2-DCE -	Freon 113 -	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TFD-HPD (cont.)													
PTU10-E	11-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
PTU10-E	16-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-S													
PTU2-I	07-JUL-14	E624	<1	1.9	<1	<1	3.3	<1	1.1	5.5	<1	42	<1
PTU2-I	11-AUG-14	E601	< 0.5	2.5	<0.5	< 0.5	3.3	<1	1	5.2	< 0.5	41	<0.5
PTU2-I	03-SEP-14	E601	0.59	2.4	<0.5	<0.5	3.3	<1	1.1	5.3	<0.5	46	<0.5
PTU2-E	07-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU2-E	11-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU2-E	03-SEP-14	E601	<0.5	< 0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-SE													
PTU11-I	09-JUL-14	E601	< 0.5	3	0.54	1.1	7.3	<1	0.72	23	< 0.5	79	<0.5
PTU11-I	06-AUG-14	E601	< 0.5	3.1	0.7	1.2	9.1	<1	0.71	26	< 0.5	87	<0.5
PTU11-I	04-SEP-14	E601	<0.5	3	0.73	1.1	8.3	<1	0.83	23	<0.5	81	<0.5
PTU11-E	09-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU11-E	06-AUG-14	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
PTU11-E	04-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-SS													
PTU12-I	02-JUL-14	E601	1.6	2.1	0.59	1.9	9.9	<1	0.5	20	< 0.5	110	3.4
PTU12-I	11-AUG-14	E601	1.4	2.1	0.59	2	9.3	<1	<0.5	19	<0.5	100	3.1
PTU12-I	09-SEP-14	E601	1.6	2	<0.5	1.3	6.6	<1	<0.5	12	<0.5	92	6.5
PTU12-E	02-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU12-E	11-AUG-14	E601	< 0.5	<0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU12-E	09-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-W													
PTU6-I	16-JUL-14	E601	< 0.5	5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	3.6	33
PTU6-I	11-AUG-14	E601	< 0.5	5.1	<0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	3.6	31
PTU6-I	16-SEP-14	E601	<0.5	4.6	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	3	30
PTU6-E	16-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU6-E	11-AUG-14	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	<0.5	<0.5	<0.5	< 0.5	<0.5
PTU6-E	16-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Station   Sampled   Method   CTET   CFORM   1,1-DCA   1,2-DCC   1,1-DCE   1,2-DCE   1,1-TCA   TCE   Freen   11   TEE   Freen   12   TEE   Freen   13   Freen   14   TEE   TE	 Sample Station	Date Sampled	Analytic Method	CTET	CEORM	11 DCA	1 2 DCA	1.1 DCE	1 2 DCE	Eroon 112	PCE	1,1,1-TCA	TCE	Freon 11
PTU3-1	Station	Sampled	Wethou		-	1,1-DCA -	1,2-DCA -	•	1,2-DCE -	-	-	1,1,1-1CA -		
PTU3-I 15-AUG-14 E601 <0.5														
PTU3-I 02-SEP-14 E601	PTU3-I	08-JUL-14	E601	<0.5	2.3	< 0.5	< 0.5	4.6	<1	6.6	3.4	< 0.5	38	< 0.5
PTU3-E 08-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU3-I	15-AUG-14	E601	<0.5	2.4	< 0.5	< 0.5		<1	6.4		< 0.5	42	<0.5
PTU3-E 15-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU3-I	02-SEP-14	E601	<0.5	1.9	<0.5	<0.5	5.7	<1	5.8	7.5	<0.5	49	<0.5
PTU3-E   02-SEP-14   E601   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5	PTU3-E	08-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-HS GTU07-I 17-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU3-E	15-AUG-14	E601	<0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
GTU07-1 17-JUL-14 E601	PTU3-E	02-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU07-I 13-AUG-14 E624 3.5 1.9 <1 <1 4.4 1.9 2.4 7 <1 250 <1	TFE-HS													
GTU07-I 29-SEP-14 E601 4 1.9 <0.5 <0.5 <0.5 4.6 1.8 2 5.2 <0.5 240 <0.5    GTU07-E 17-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GTU07-I	17-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	8	2.5	13	< 0.5	150	<0.5
GTU07-E 17-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GTU07-I	13-AUG-14	E624	3.5	1.9	<1	<1	4.4	1.9	2.4	7	<1	250	<1
GTU07-E 13-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GTU07-I	29-SEP-14	E601	4	1.9	<0.5	<0.5	4.6	1.8	2	5.2	<0.5	240	<0.5
GTU07-E 02-SEP-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GTU07-E	17-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU07-E 02-SEP-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GTU07-E	13-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
TFE-NW PTU9-I 10-JUL-14 E601 <0.5	GTU07-E	02-SEP-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	
PTU9-I 10-JUL-14 E601 <0.5	GTU07-E	29-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU9-I 08-AUG-14 E601 <0.5	TFE-NW													
PTU9-I 04-SEP-14 E601 <0.5	PTU9-I	10-JUL-14	E601	<0.5	1.2	< 0.5	< 0.5	< 0.5	<1	1.2	0.59	< 0.5	17	<0.5
PTU9-E 10-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU9-I	08-AUG-14	E601	<0.5	1.1	< 0.5	< 0.5	< 0.5	<1	1	0.53	< 0.5	15	<0.5
PTU9-E 08-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU9-I	04-SEP-14	E601	<0.5	1.2	<0.5	<0.5	<0.5	<1	1	0.5	<0.5	16	<0.5
TFE-SE W-359 02-JUL-14 E601 2.7 1.2 <0.5 <0.5 12 <1 5.6 6.8 <0.5 150 <0.5 MTU04-I 02-SEP-14 E601 2.4 1.4 <0.5 <0.5 <0.5 <0.5 11 <1 5.2 6 <0.5 150 <0.5  MTU04-E 02-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU9-E	10-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-SE W-359 02-JUL-14 E601 2.7 1.2 <0.5 <0.5 12 <1 5.6 6.8 <0.5 160 0.52 MTU04-I 11-AUG-14 E601 2.5 1.3 <0.5 <0.5 12 <1 5.4 6.2 <0.5 150 <0.5 MTU04-I 02-SEP-14 E601 2.4 1.4 <0.5 <0.5 11 <1 5.2 6 <0.5 150 <0.5  MTU04-E 02-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 MTU04-E 11-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU9-E	08-AUG-14	E601	<0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
W-359 02-JUL-14 E601 2.7 1.2 <0.5 <0.5 12 <1 5.6 6.8 <0.5 160 0.52 MTU04-I 11-AUG-14 E601 2.5 1.3 <0.5 <0.5 12 <1 5.4 6.2 <0.5 150 <0.5 MTU04-I 02-SEP-14 E601 2.4 1.4 <0.5 <0.5 11 <1 5.2 6 <0.5 150 <0.5 <0.5 MTU04-E 02-JUL-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	PTU9-E	04-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU04-I       11-AUG-14       E601       2.5       1.3       <0.5	TFE-SE													
MTU04-I 02-SEP-14 E601 <b>2.4 1.4</b> <0.5 <0.5 <b>11</b> <1 <b>5.2 6</b> <0.5 <b>150</b> <0.5	W-359	02-JUL-14	E601	2.7	1.2	< 0.5	< 0.5	12	<1	5.6	6.8	< 0.5	160	0.52
MTU04-I 02-SEP-14 E601 <b>2.4 1.4</b> <0.5 <0.5 <b>11</b> <1 <b>5.2 6</b> <0.5 <b>150</b> <0.5	MTU04-I	11-AUG-14	E601			< 0.5			<1		6.2		150	
MTU04-E 11-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	MTU04-I	02-SEP-14	E601		1.4	<0.5		11	<1		6	<0.5	150	
MTU04-E 11-AUG-14 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	MTU04-E	02-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
<b>TFE-SW</b> MTU03-I 14-JUL-14 E601 <b>1.2 1.2</b> <0.5 <0.5 <b>0.62</b> <1 <b>0.67 1.3</b> <0.5 <b>28</b> <0.5	MTU04-E	11-AUG-14	E601	< 0.5	<0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU03-I 14-JUL-14 E601 <b>1.2 1.2</b> <0.5 <0.5 <b>0.62</b> <1 <b>0.67 1.3</b> <0.5 <b>28</b> <0.5	MTU04-E	02-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
	TFE-SW													
	MTU03-I	14-JUL-14	E601	1.2	1.2	< 0.5	< 0.5	0.62	<1	0.67	1.3	< 0.5	28	< 0.5
	MTU03-I	08-AUG-14	E601		1.4	<0.5		0.7	<1	0.57	1.4	<0.5	38	

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample	Date	Analytic											
Station	Sampled	Method	CTET <-	CFORM -	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)	1,2-DCE -	Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TFE-SW (cont.)													
MTU03-I	17-SEP-14	E601	0.9	1	<0.5	<0.5	<0.5	<1	0.55	0.96	<0.5	18	<0.5
MTU03-E	14-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU03-E	08-AUG-14	E601	<0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
MTU03-E	17-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-W													
MTU05-I	14-JUL-14	E601	< 0.5	0.94	<0.5	< 0.5	1.4	<1	9.4	7	< 0.5	27	< 0.5
MTU05-I	08-AUG-14	E601	< 0.5	0.91	<0.5	< 0.5	1.3	<1	8.2	6.2	< 0.5	25	< 0.5
MTU05-I	17-SEP-14	E601	<0.5	0.99	<0.5	<0.5	1.4	<1	9	6.2	<0.5	26	<0.5
MTU05-E	14-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU05-E	08-AUG-14	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MTU05-E	17-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFG-1													
W-1111	02-JUL-14	E601	3	9.5	< 0.5	< 0.5	0.87	<1	< 0.5	0.98	< 0.5	3.8	< 0.5
GTU01-I	08-AUG-14	E601	2.9	8.8	<0.5	< 0.5	0.74	<1	<0.5	1	<0.5	3.8	<0.5
GTU01-I	03-SEP-14	E601	3.1	9.2	<0.5	<0.5	0.77	<1	<0.5	1	<0.5	4.1	<0.5
GTU01-E	02-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU01-E	08-AUG-14	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
GTU01-E	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFG-N													
MTU02-I	01-JUL-14	E601	< 0.5	1.3	<0.5	< 0.5	1.4	<1	1.3	17	< 0.5	4.8	< 0.5
MTU02-I	08-AUG-14	E601	< 0.5	1.3	<0.5	< 0.5	1.2	<1	1.1	15	< 0.5	4.3	< 0.5
MTU02-I	03-SEP-14	E601	<0.5	1.2	<0.5	<0.5	1.1	<1	1.1	15	<0.5	4.2	<0.5
MTU02-E	01-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU02-E	08-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MTU02-E	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF406													
PTU5-I	16-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	3	< 0.5
PTU5-I	08-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	2.7	< 0.5
PTU5-I	16-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	2.6	<0.5
PTU5-E	16-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample	Date Sampled	Analytic	CTET	CFORM	4.4 DCA	1,2-DCA	1,1-DCE	4.2 DCE	Eroon 112	PCE	4.4.4.TCA	TCE	From 11
Station	Sampled	Method	<-	CFORIVI	1,1-DCA -	1,2-DCA -	ug/L (ppb)		Freon 113	-	1,1,1-TCA -	-	Freon 11 ->
TF406 (cont.)													
PTU5-E	08-AUG-14	E601	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU5-E	16-SEP-14	E601	<0.5	< 0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF406-NW													
W-1801	01-JUL-14	E601	< 0.5	1.2	< 0.5	< 0.5	< 0.5	<1	2.7	0.72	< 0.5	17	<0.5
GTU03-I	08-AUG-14	E601	< 0.5	1.1	< 0.5	< 0.5	< 0.5	<1	2.4	0.67	< 0.5	16	<0.5
GTU03-I	03-SEP-14	E601	<0.5	1.6	<0.5	<0.5	<0.5	<1	2.6	0.68	<0.5	19	<0.5
GTU03-E	01-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU03-E	08-AUG-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
GTU03-E	03-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF518-N <sup>b</sup>													
W-1410	14-JUL-14	E601	1.8	1.7	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	11	<0.5
TF5475-1 <sup>c</sup>													
W-1302-2	19-AUG-14	E601	2.2	35	1.4	4.7	21	<1	9.2	51	<0.5	350	<0.5
TF5475-2 <sup>d</sup>													
GTU09-I	28-AUG-14	E601	2.2	28	0.58	8.2	19	<1	6.1	41	<0.5	350	<0.5
GTU09-I	04-SEP-14	E601	1.4	14	<0.5	2.2	12	<1	4.2	24	<0.5	200	<0.5
GTU09-E	28-AUG-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU09-E	04-SEP-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
 TF5475-3 <sup>e</sup>													

Notes on following page.

#### Table A-1. VOC analyses of influent and effluent samples by treatment facility.

#### Notes:

CTET = Carbon tetrachloride

CFORM = Chloroform

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethylene

1,2-DCE = 1,2-Dichloroethylene

Freon 113 = Trichlorotrifluoroethane

PCE = Tetrachloroethylene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

Numbers in **BOLD** print indicate positive values above the detection limit.

<sup>&</sup>lt;sup>a</sup> TFD was sampled multiple times (after completing the installation of a new air stripper and performing routine complaince sampling) during the month of September.

<sup>&</sup>lt;sup>b</sup> TF518-N did not operate during this reporting period due to mixed waste disposition issues.

 $<sup>^{\</sup>rm c}$  TF5475-1 did not operate during this reporting period due to mixed waste disposition issues.

<sup>&</sup>lt;sup>d</sup> TF5475-2 remained offline during the months of July and August due to a pump failure at W-1108.

<sup>&</sup>lt;sup>e</sup> TF5475-3 did not operate during this reporting period due to mixed waste disposition issues.

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction	Date Sampled	Analytic	CTET	CEODM	4.4 DC4	4.2.004	4.4 DCF	4 2 005	Eroon 442	DCE	4 4 4 TCA	TCE	France 4
Well	Sampled	Method	CTET <-	CFORM -	1,1-DCA -	1,2-DCA -	ug/L (ppb)		Freon 113 -	PCE -	1,1,1-TCA -	TCE -	Freon 1 ->
TFA													
W-109	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	0.55	1	< 0.5	< 0.5	< 0.5
W-262	10-JUL-14	E601	< 0.5	<0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	< 0.5
W-404	10-JUL-14	E601	< 0.5	< 0.5	0.62	< 0.5	0.89	<1	<0.5	4.4	< 0.5	< 0.5	< 0.5
W-408	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	0.52	< 0.5	< 0.5	< 0.5
W-415	10-JUL-14	E601	< 0.5	1.4	0.52	< 0.5	1.2	<1	<0.5	11	< 0.5	0.97	< 0.5
W-457	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	0.54	<1	<0.5	5	< 0.5	< 0.5	<0.5
W-518	10-JUL-14	E601	< 0.5	< 0.5	5.2	< 0.5	2.8	<1	<0.5	4.3	< 0.5	< 0.5	< 0.5
W-522	10-JUL-14	E601	< 0.5	< 0.5	1.2	< 0.5	0.89	<1	<0.5	2.8	< 0.5	< 0.5	< 0.5
W-605	10-JUL-14	E601	< 0.5	< 0.5	0.59	< 0.5	0.74	<1	<0.5	12	< 0.5	0.54	< 0.5
W-614	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	4.5	< 0.5	< 0.5	<0.5
W-712	10-JUL-14	E601	2.8	2.8	1	< 0.5	3.3	<1	<0.5	2.1	< 0.5	3.1	< 0.5
W-714	10-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	6.1	< 0.5	< 0.5	< 0.5
W-903	10-JUL-14	E601	< 0.5	< 0.5	0.75	< 0.5	0.66	<1	<0.5	4.4	< 0.5	< 0.5	<0.5
W-904	10-JUL-14	E601	< 0.5	<0.5	< 0.5	< 0.5	0.65	<1	< 0.5	4.7	< 0.5	< 0.5	<0.5
W-1001	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	<0.5
W-1004	10-JUL-14	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	1.9	< 0.5	< 0.5	<0.5
W-1009	10-JUL-14	E601	1	4.2	0.61	<0.5	2.6	<1	0.53	10	<0.5	1.7	<0.5
TFA-E													
W-254 <sup>a</sup>	29-APR-13	E601	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	20	< 0.5	0.5	<0.5
W-1214	08-AUG-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	4.9	<0.5	<0.5	<0.5
TFB													
W-357	02-JUL-14	E601	1.4	2.7	<0.5	< 0.5	1.4	<1	4.2	1.2	< 0.5	32	<0.5
W-610	02-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.69	<1	0.83	0.52	<0.5	1.2	<0.5
W-620	02-JUL-14	E601	< 0.5	0.74	<0.5	< 0.5	0.75	<1	1.2	0.9	<0.5	2.8	<0.5
W-621	14-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	1.1	<0.5
W-655	14-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	6.3	< 0.5	<0.5	0.59	<0.5
W-704	02-JUL-14	E601	0.57	3.6	< 0.5	< 0.5	1.9	<1	6.2	2.4	<0.5	16	<0.5
W-1423	02-JUL-14	E601	0.76	4.3	< 0.5	< 0.5	2.9	<1	3	1.8	<0.5	8.3	<0.5
W-2501	02-JUL-14	E601	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	<1	1.4	< 0.5	<0.5	4.4	<0.5
W-2502	02-JUL-14	E601	0.61	2.6	<0.5	<0.5	1.5	<1	0.52	<0.5	<0.5	2.3	<0.5
TFC													
W-701	01-JUL-14	E601	< 0.5	2.1	< 0.5	< 0.5	1.6	<1	24	1.9	<0.5	17	<0.5
W-1015	01-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.53	<1	1.4	1.2	<0.5	4.8	<0.5
W-1102	01-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	2.9	< 0.5	<0.5	1.4	<0.5
W-1103	01-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	0.82	<0.5
W-1104	01-JUL-14	E601	< 0.5	0.63	< 0.5	< 0.5	< 0.5	<1	2.4	4.8	< 0.5	8.9	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CTET <-	CFORM	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)		Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 1
TFC (cont.)													
W-1116	01-JUL-14	E601	<0.5	1.1	<0.5	<0.5	<0.5	<1	5.3	3.3	<0.5	6.5	<0.5
TFC-E													
W-368	09-JUL-14	E601	< 0.5	3.1	< 0.5	< 0.5	< 0.5	<1	12	2.5	< 0.5	10	1.6
W-413	09-JUL-14	E601	<0.5	13	<0.5	<0.5	0.75	<1	8	<0.5	<0.5	6.9	3.7
TFC-SE													
W-1213	05-AUG-14	E601	< 0.5	7.7	< 0.5	< 0.5	3.2	<1	6.2	< 0.5	<0.5	20	< 0.5
W-2201	05-AUG-14	E601	<0.5	6.1	<0.5	<0.5	1	<1	16	0.78	<0.5	13	1.3
TFD													
W-351	01-JUL-14	E601	29	4.7	< 0.5	0.88	6.9	<1	5.4	6.7	< 0.5	550	1.1
W-653	01-JUL-14	E601	17	4.8	< 0.5	< 0.5	0.57	<1	2.3	0.67	< 0.5	490	< 0.5
W-906	01-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	3.4	<0.5
W-907-2	01-JUL-14	E601	< 0.5	3.4	< 0.5	< 0.5	2.5	<1	1.4	5.2	< 0.5	49	<0.5
W-2011	01-JUL-14	E601	0.71	0.68	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	17	< 0.5
W-2101	01-JUL-14	E601	4.2	1.6	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	130	<0.5
W-2102	01-JUL-14	E601	12	3.7	<0.5	< 0.5	< 0.5	<1	1.5	< 0.5	< 0.5	350	0.74
W-1206	01-JUL-14	E601	0.72	3.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	12	< 0.5
W-1208	01-JUL-14	E601	1.8	1.7	<0.5	<0.5	<0.5	<1	<0.5	0.66	<0.5	37	24
TFD-E													
W-2006	06-AUG-14	E601	1	2	3	9	96	1.4	< 0.5	96	< 0.5	390	< 0.5
W-1301	06-AUG-14	E601	8.3	2.7	1.5	4.8	39	<1	0.76	29	<0.5	180	< 0.5
W-1303	06-AUG-14	E601	3.1	1.9	< 0.5	1.2	3.2	<1	< 0.5	4	<0.5	90	5
W-1306	06-AUG-14	E601	1.5	1.4	< 0.5	< 0.5	< 0.5	<1	< 0.5	2	<0.5	42	< 0.5
W-1307	06-AUG-14	E601	2.3	0.56	< 0.5	< 0.5	< 0.5	<1	< 0.5	0.56	< 0.5	29	< 0.5
W-1550	06-AUG-14	E601	5.2	4.3	< 0.5	< 0.5	0.53	<1	<0.5	1.6	<0.5	120	<0.5
W-2203	06-AUG-14	E601	7.9	2.5	<0.5	<0.5	1.5	<1	1.6	5.2	<0.5	96	<0.5
TFD-HPD													
W-1254	15-JUL-14	E601	1.4	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	<0.5	32	<0.5
W-1650	06-AUG-14	E601	0.88	1.7	< 0.5	< 0.5	< 0.5	3.5	0.87	< 0.5	<0.5	80	<0.5
W-1653	06-AUG-14	E601	< 0.5	0.56	< 0.5	< 0.5	< 0.5	7.9	<0.5	< 0.5	<0.5	30	<0.5
W-1655	06-AUG-14	E601	< 0.5	0.86	< 0.5	< 0.5	< 0.5	<1	<0.5	0.84	<0.5	28	<0.5
W-1657	06-AUG-14	E601	7.6	3.4	< 0.5	<0.5	< 0.5	<1	2.4	< 0.5	<0.5	690	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CTET	CFORM	1.1-DCA	1.2-DCA	1,1-DCE	1.2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
			<-	-	-	-	ug/L (ppb)	-	-	-	-	-	->
TFD-S													
W-1503	07-JUL-14	E601	1.1	1.3	< 0.5	< 0.5	0.81	<1	<0.5	1.2	<0.5	31	< 0.5
W-1504	07-JUL-14	E601	< 0.5	0.54	<0.5	< 0.5	8.3	<1	2.2	13	<0.5	58	< 0.5
W-1510	07-JUL-14	E601	<0.5	1.1	<0.5	< 0.5	4.4	<1	1	8.2	<0.5	55	<0.5
W-2601	07-JUL-14	E601	<0.5	6.7	<0.5	<0.5	1.2	<1	0.77	3	<0.5	30	<0.5
TFD-SE													
W-314	09-JUL-14	E601	< 0.5	1.4	< 0.5	< 0.5	2.2	<1	0.54	4.3	< 0.5	29	< 0.5
W-2005	09-JUL-14	E601	0.57	0.69	< 0.5	1.4	15	<1	< 0.5	40	< 0.5	80	< 0.5
W-1308	09-JUL-14	E601	< 0.5	1.1	0.69	2.2	12	<1	< 0.5	61	< 0.5	86	< 0.5
W-1403	09-JUL-14	E601	2.2	16	1.1	4.6	33	<1	3.8	85	< 0.5	330	< 0.5
W-1904 <sup>a</sup>	02-JUN-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	1.4	<1	< 0.5	13	< 0.5	6	< 0.5
SIP-ETC-201 <sup>a</sup>	05-FEB-14	E601	<0.5	0.58	2	0.83	61	<1	<0.5	330	<0.5	190	<0.5
TFD-SS													
W-1523	02-JUL-14	E601	2.9	2.5	<0.5	1.2	8.3	<1	0.92	13	<0.5	110	<0.5
W-1601	02-JUL-14	E601	2.9	3.3	1.1	4.9	19	<1	0.91	76	<0.5	210	<0.5
W-1602	02-JUL-14	E601	<0.5	1.1	<0.5	<0.5	<0.5	<1	<0.5	1.3	<0.5	8.3	1.1
W-1603	02-JUL-14	E601	0.89	1.9	0.74	2.7	9.2	<1	<0.5	19	<0.5	110	4.6
TFD-W													
W-1215	16-JUL-14	E601	< 0.5	8.6	< 0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	4.1	16
W-1216	16-JUL-14	E601	<0.5	4.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	2.2	24
W-1902	16-JUL-14	E601	<0.5	3.2	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	4.2	48
TFE-E													
W-566	08-JUL-14	E601	< 0.5	2.5	< 0.5	< 0.5	4.8	<1	7	3.6	< 0.5	39	< 0.5
W-1109	26-AUG-14	E601	< 0.5	<0.5	<0.5	< 0.5	5.9	<1	1.7	13	< 0.5	45	< 0.5
W-1903	08-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	11	<1	3.4	12	<0.5	25	<0.5
W-1909 <sup>a</sup>	14-NOV-11	E601	< 0.5	<0.5	<0.5	<0.5	9.1	1.1	<0.5	5.4	<0.5	6.5	<0.5
W-2305	26-AUG-14	E601	<0.5	<0.5	<0.5	<0.5	18	<1	6.5	26	<0.5	48	<0.5
TFE-HS													
W-2105	17-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	0.58	3.5	2.4	12	<0.5	140	<0.5
W-2801	27-AUG-14	E601	3.8	2.1	<0.5	<0.5	5.1	2	2.4	5.9	<0.5	260	<0.5
TFE-NW													
W-1211	10-JUL-14	E601	<0.5	1.5	<0.5	< 0.5	<0.5	<1	1.5	<0.5	<0.5	7.9	<0.5
· · · <del>-</del> · ·	10-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	0.6	<1	0.61	1.9	<0.5	41	<0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CTET <-	CFORM	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)		Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TFE-SE													
W-359	02-JUL-14	E601	2.7	1.2	<0.5	<0.5	12	<1	5.6	6.8	<0.5	160	0.52
TFE-SW													
W-1516	14-JUL-14	E601	0.53	0.9	< 0.5	< 0.5	<0.5	<1	0.73	< 0.5	<0.5	8.4	<0.5
W-1518	14-JUL-14	E601	< 0.5	< 0.5	< 0.5	< 0.5	1.4	1.2	2.1	0.82	< 0.5	10	< 0.5
W-1520	14-JUL-14	E601	6.5	3.9	< 0.5	1.8	1.3	1.2	< 0.5	8	< 0.5	140	< 0.5
W-1522	14-JUL-14	E601	9	4.8	<0.5	1.7	5	5.3	0.64	8.1	<0.5	210	<0.5
TFE-W													
W-292	14-JUL-14	E601	< 0.5	0.74	< 0.5	< 0.5	0.79	2	1.2	1.3	< 0.5	18	< 0.5
W-305	14-JUL-14	E601	<0.5	1	<0.5	<0.5	1.8	<1	14	9.9	<0.5	33	0.59
TFG-1													
W-1111	02-JUL-14	E601	3	9.5	<0.5	<0.5	0.87	<1	<0.5	0.98	<0.5	3.8	<0.5
TFG-N													
W-1806	01-JUL-14	E601	< 0.5	0.66	<0.5	< 0.5	< 0.5	<1	<0.5	8.5	<0.5	2.3	<0.5
W-1807	01-JUL-14	E601	<0.5	1.5	<0.5	<0.5	1.6	<1	1.5	19	<0.5	5.3	<0.5
TF406													
W-1309	16-JUL-14	E601	0.54	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	<0.5	<0.5	2.5	<0.5
W-1310	16-JUL-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	3	<0.5
TF406-NW													
W-1801	01-JUL-14	E601	<0.5	1.2	<0.5	<0.5	<0.5	<1	2.7	0.72	<0.5	17	<0.5
TF518-N <sup>b</sup>													
W-1410	14-JUL-14	E601	1.8	1.7	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	11	<0.5
TF518-PZ													
W-1615	27-AUG-14	E601	<0.5	<0.5	<0.5	<0.5	3.1	<1	<0.5	37	<0.5	180	<0.5
W-518-1913 <sup>a</sup>	23-MAY-11	E601	<0.5	<0.5	<0.5	<0.5	0.76	<1	<0.5	3.8	<0.5	29	<0.5
W-518-1914	27-AUG-14	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	28	<0.5	3.8	<0.5
W-518-1915	27-AUG-14	E601	< 0.5	0.76	<0.5	< 0.5	1.6	<1	<0.5	48	<0.5	280	<0.5
SVB-518-201 <sup>a</sup>	07-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	35	<0.5	8.5	<0.5
SVB-518-204 <sup>a</sup>	07-FEB-08	E601	< 0.5	0.63	< 0.5	< 0.5	1.4	<1	< 0.5	43	< 0.5	550	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CTET	CFORM	1,1-DCA	1,2-DCA	1,1-DCE	•	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
			<-	-	•	-	ug/L (ppb)	-	-	-	-	-	->
TF5475-1 <sup>b</sup>													
W-1302-2	19-AUG-14	E601	2.2	35	1.4	4.7	21	<1	9.2	51	<0.5	350	<0.5
TF5475-2													
W-1108	28-AUG-14	E601	2.2	27	0.53	7.8	18	<1	6	41	< 0.5	350	< 0.5
W-1415	04-SEP-14	E601	1.4	14	<0.5	2.2	12	<1	4.2	24	<0.5	210	<0.5
TF5475-3 <sup>b</sup>													
W-1604	19-AUG-14	E601	5.8	87	2.2	20	43	2.8	14	110	< 0.5	1000	<0.5
W-1605	06-AUG-14	E601	< 0.5	6.7	<0.5	1.1	< 0.5	<1	<0.5	1	< 0.5	13	<0.5
W-1608	06-AUG-14	E601	< 0.5	3.5	<0.5	0.64	< 0.5	<1	<0.5	0.58	< 0.5	7.7	<0.5
 W-1609 <sup>a</sup>	28-APR-14	E601	<0.5	37	0.66	2.8	5.4	<1	0.71	14	<0.5	110	<0.5

Notes on following page.

#### Table A-2. VOC analyses of samples from treatment facility extraction wells.

#### Notes:

CTET = Carbon tetrachloride

CFORM = Chloroform

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethylene

1,2-DCE = 1,2-Dichloroethylene

Freon 113 = Trichlorotrifluoroethane

PCE = Tetrachloroethylene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

Numbers in **BOLD** print indicate positive values above the detection limit.

<sup>&</sup>lt;sup>a</sup> Most recent VOC sample results available.

<sup>&</sup>lt;sup>b</sup> Treatment Facility did not operate during reporting period. Please refer to Table A-1 for details.

Table A-3. VOC analyses of vapor samples from treatment facility extraction wells.

VITP-ETCS	Extraction	Date	Analytic											
W-1904   15-JUL-14   TO15DIT   0.0005   0.00	Well	Sampled	Method	CTET <-	CFORM -	1,1-DCA -	1,2-DCA -		1,2-DCE -	Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
W-ETC-20034   15-JUL-14   TO15DIT   0.005	VTFD-ETCS													
W-ETC-2004A   15-JUL-14   TO15DIT   <0.005   0.015   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0	W-1904	15-JUL-14	TO15DIT	< 0.005	< 0.005	< 0.005	< 0.005	0.013	< 0.005	< 0.005	0.16	< 0.005	0.067	< 0.005
W-ETC-2004B   15-JUL-14   TO15DIT   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <	W-ETC-2003	15-JUL-14	TO15DIT	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.072	< 0.005	0.02	< 0.005
SIP-ETC-201   15-JUL-14   TO15DIT   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <	W-ETC-2004A	15-JUL-14	TO15DIT	< 0.005	0.0051	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.17	< 0.005	0.054	< 0.005
VTFE-ELM <sup>2</sup>	W-ETC-2004B	15-JUL-14	TO15DIT	< 0.005	0.012	0.0068	< 0.005	0.091	< 0.005	< 0.005	0.36	< 0.005	1.2	< 0.005
W-1903 b   05-MAY-14   TO15DIT   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.0	SIP-ETC-201	15-JUL-14	TO15DIT	< 0.005	<0.005	< 0.005	<0.005	0.011	< 0.005	< 0.005	0.13	<0.005	0.15	<0.005
W-1909	VTFE-ELM <sup>a</sup>													
W-2305	W-1903 <sup>b</sup>	05-MAY-14	TO15DIT	< 0.005	< 0.005	< 0.005	< 0.005	0.53	< 0.005	0.14	0.46	< 0.005	1.1	< 0.005
W-2305	W-1909 <sup>b</sup>	06-OCT-11	TO15DIT	< 0.005	0.034	< 0.005	< 0.005	0.51	< 0.005	0.054	0.88	< 0.005	1.2	< 0.005
W-543-001	W-2305 <sup>b</sup>													
W-543-003						< 0.005			< 0.005			< 0.005		
W-543-1908   24-SEP-14   TO15DIT   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <				< 0.005			< 0.005			0.006				
W-2105   03-SEP-14   TO15DIT   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01														
W-2105   03-SEP-14   TO15DIT   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01	VTFE-HS													
W-ETS-2008A   03-SEP-14   TO15DIT   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01   <0.01		03-SEP-14	TO15DIT	< 0.01	< 0.01	< 0.01	< 0.01	0.021	< 0.01	0.15	0.19	< 0.01	1.5	< 0.01
W-ETS-2008B   03-SEP-14   TO15DIT   <0.011   0.014   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0														
W-ETS-2009         03-SEP-14         TO15DIT         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.01         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.011         <0.012         <0.005         <0.012         <0.005         <0.012         <0.005         <0.012         <0.005         <0.012         <0.005         <0.012         <0.005         <0.012         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005														
W-ETS-2010A   03-SEP-14   TO15DIT   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.011   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.012   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <0.005   <														
W-ETS-2010B         03-SEP-14         TO15DIT         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.012         <0.005         0.04         0.023         <0.014         <0.005         0.04         <0.005         0.014         0.044         <0.005         0.005														
W-217         15-JUL-14         TO15DIT         0.1         0.041         0.0084         <0.005         0.64         0.023         0.14         0.44         <0.005         1.6         0.007           W-514-2007A         15-JUL-14         TO15DIT         0.023         <0.005														
W-217         15-JUL-14         TO15DIT         0.1         0.041         0.0084         <0.005         0.64         0.023         0.14         0.44         <0.005         1.6         0.007           W-514-2007A         15-JUL-14         TO15DIT         0.023         <0.005	VTF406-HS													
W-514-2007A   15-JUL-14   TO15DIT   0.023   <0.005   <0.005   <0.005   <0.005   0.012   <0.005   0.08   0.021   <0.005   0.075   2.7		15-JUL-14	TO15DIT	0.1	0.041	0.0084	< 0.005	0.64	0.023	0.14	0.44	< 0.005	1.6	0.007
W-514-2007B         15-JUL-14         TO15DIT         0.05         0.022         <0.005         <0.005         0.28         <0.005         0.04         0.15         <0.005         0.61         0.028           VTF511           W-2204         17-SEP-14         TO15DIT         0.085         0.024         <0.012														
W-2204         17-SEP-14         TO15DIT         0.085         0.024         <0.012			TO15DIT			<0.005	<0.005		< 0.005	0.04		<0.005		
W-2204         17-SEP-14         TO15DIT         0.085         0.024         <0.012	VTF511													
W-2205         17-SEP-14         TO15DIT         0.064         0.01         <0.005	W-2204	17-SEP-14	TO15DIT	0.085	0.024	< 0.012	0.02	0.022	< 0.012	< 0.012	0.5	< 0.012	5.2	< 0.012
W-2206         17-SEP-14         TO15DIT         0.0065         0.006         <0.005         0.014         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.005         <0.00					0.01									
W-2207A       15-SEP-14       TO15DIT       <0.005														
W-2207B       15-SEP-14       TO15DIT       <0.005														
W-2208A       15-SEP-14       TO15DIT       0.03       0.015       <0.005														
W-2208B 15-SEP-14 TO15DIT <b>0.097 0.084 0.043 0.033 0.52 0.14 0.1 0.35</b> <0.012 <b>11 0.11</b> VTF518-PZ  W-1615 03-SEP-14 TO15DIT <0.013 <0.013 <0.013 <0.013 <b>0.013 0.045 3.6</b> <0.013 <b>8.9</b> <0.013														
W-1615 03-SEP-14 TO15DIT <0.013 <0.013 <0.013 <b>0.013 0.013 0.045 3.6</b> <0.013 <b>8.9</b> <0.013														
W-1615 03-SEP-14 TO15DIT <0.013 <0.013 <0.013 <b>0.013 0.013 0.045 3.6</b> <0.013 <b>8.9</b> <0.013	VTF518-PZ													
		03-SEP-14	TO15DIT	< 0.013	< 0.013	< 0.013	< 0.013	0.27	< 0.013	0.045	3.6	< 0.013	8.9	< 0.013
	W-518-1913			<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	<0.01

Table A-3. VOC analyses of vapor samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CTET	CFORM	1,1-DCA	1,2-DCA	1,1-DCE PPM(V/V)	1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
			<-			-	PPIVI(V/V)				-		->
VTF518-PZ (cont.)													
W-518-1914	03-SEP-14	TO15DIT	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	1.4	< 0.01	0.11	<0.01
W-518-1915	03-SEP-14	TO15DIT	< 0.01	< 0.01	< 0.01	< 0.01	0.024	< 0.01	<0.01	4	< 0.01	0.98	<0.01
SVB-518-201	03-SEP-14	TO15DIT	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	0.023	< 0.01	0.024	<0.01
SVB-518-204	03-SEP-14	TO15DIT	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.089	<0.01	0.36	<0.01
VTF5475 <sup>c</sup>													
W-1605	22-SEP-14	TO15DIT	< 0.005	0.035	< 0.005	< 0.005	0.011	< 0.005	< 0.005	0.0076	< 0.005	0.11	< 0.005
W-1608	22-SEP-14	TO15DIT	< 0.005	0.03	< 0.005	< 0.005	0.016	< 0.005	0.012	0.0065	< 0.005	0.068	< 0.005
W-2211	24-SEP-14	TO15DIT	< 0.005	0.048	< 0.005	< 0.005	0.046	< 0.005	0.012	0.015	< 0.005	0.12	< 0.005
W-2212	24-SEP-14	TO15DIT	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.012	< 0.005
W-ETS-507	23-SEP-14	TO15DIT	< 0.005	1	< 0.005	0.047	0.0093	< 0.005	< 0.005	0.19	< 0.005	0.77	< 0.005
W-2302	24-SEP-14	TO15DIT	0.012	0.1	< 0.005	0.0054	0.37	< 0.005	0.081	0.12	< 0.005	1.7	< 0.005
W-2303	24-SEP-14	TO15DIT	< 0.005	0.32	0.014	0.022	0.11	< 0.005	0.0091	0.11	< 0.005	0.9	< 0.005
SVI-ETS-504	23-SEP-14	TO15DIT	<0.005	0.15	<0.005	<0.005	0.05	<0.005	<0.005	0.075	<0.005	0.34	<0.005

Notes on following page.

#### Table A-3. VOC analyses of vapor samples from treatment facility extraction wells.

Notes:

CTET = Carbon tetrachloride

CFORM = Chloroform

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethylene

1,2-DCE = 1,2-Dichloroethylene

Freon 113 = Trichlorotrifluoroethane

PCE = Tetrachloroethylene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

Numbers in **BOLD** print indicate positive values above the detection limit.

<sup>&</sup>lt;sup>a</sup> VTFE-ELM did not operate during the month of August and most of September due to a failed vacuum pump.

<sup>&</sup>lt;sup>b</sup> Most recent VOC vapor sample results available.

 $<sup>^{\</sup>rm c}$  VTF5475 did not operate during reporting period due to mixed waste disposition issues.

Table A-4. Chromium analyses of influent, effluent and receiving water samples by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Chromium (total) <sup>a</sup> mg/L (ppm)	Hexavalent Chromium mg/L (ppm)
TFA	TFA-I001 TFA-E001	02-JUL-14 02-JUL-14	0.014 0.014	NA NA
TFA-E	STU06-I	07-JUL-14	0.0049	NA
IFA-E	STU06-E	07-JUL-14 07-JUL-14	<0.0049	NA NA
TFB	TFB-I002	02-JUL-14	0.02	NA
	TFB-E002	02-JUL-14	0.02	NA
	TFB-E002	04-AUG-14	0.019	NA
	TFB-E002	02-SEP-14	0.021	NA NA
	TFB-R002	02-JUL-14	0.016	NA
TFC	TFC-I003	01-JUL-14	0.023	NA
	TFC-E003	01-JUL-14	0.025	NA
	TFC-E003	04-AUG-14	0.023	NA
	TFC-E003	02-SEP-14	0.023	NA
	TFC-R003	01-JUL-14	0.0069	NA
TFC-E	MTU1-I	09-JUL-14	0.04	NA
	MTU1-E	09-JUL-14	0.042	NA
	MTU1-E	06-AUG-14	0.036	NA
	MTU1-E	04-SEP-14	0.039	NA
TFC-SE	PTU1-I	07-JUL-14	0.036	NA
	PTU1-E	07-JUL-14	0.035	NA
	PTU1-E	04-AUG-14	0.036	NA
	PTU1-E	03-SEP-14	0.035	NA
TFD	TFD-I004	01-JUL-14	0.012	NA
	TFD-E004	01-JUL-14	0.012	NA
	TFD-E004	30-SEP-14	0.011	0.0092
TFD-E	PTU8-I	09-JUL-14	0.0071	NA
11 D-L	PTU8-E	09-JUL-14	0.0069	NA
	1 100 L	00 002 11	0.0000	
TFD-HPD	PTU10-I	15-JUL-14	0.014	NA
	PTU10-E	15-JUL-14	0.014	NA
TFD-S	PTU2-I	07-JUL-14	0.012	NA
	PTU2-E	07-JUL-14	0.012	NA
		0. 002	0.0.2	
TFD-SE	PTU11-I	09-JUL-14	0.011	NA
	PTU11-E	09-JUL-14	0.011	NA
TFD-SS	PTU12-I	02-JUL-14	0.012	NA
	PTU12-E	02-JUL-14	0.012	NA
TFD-W	PTU6-I	16-JUL-14	0.012	NA
	PTU6-E	16-JUL-14	0.012	NA
TFE-E	PTU3-I	08-JUL-14	0.011	NA
11 L-L	PTU3-E	08-JUL-14	0.011	NA NA
	. 100 L	00 <b>00</b> L 17	0.011	147
TFE-HS	GTU07-I	17-JUL-14	0.0051	NA
	GTU07-E	17-JUL-14	<0.001	NA
TEE ANA/	DTUO	40 1111 44	0.040	NIA
TFE-NW	PTU9-I	10-JUL-14	0.012	NA

Table A-4. Chromium analyses of influent, effluent and receiving water samples by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Chromium (total) <sup>a</sup> mg/L (ppm)	Hexavalent Chromium mg/L (ppm)
TFE-NW (cont.)				
,	PTU9-E	10-JUL-14	0.012	NA
TFE-SE	W-359	02-JUL-14	0.0085	NA
	MTU04-E	02-JUL-14	0.0085	NA
TFE-SW	MTU03-I	14-JUL-14	0.014	NA
	MTU03-E	14-JUL-14	0.011	NA
TFE-W	MTU05-I	14-JUL-14	0.012	NA
	MTU05-E	14-JUL-14	0.012	NA
TFG-1	W-1111	02-JUL-14	0.0083	NA
1101	GTU01-E	02-JUL-14	<0.001	NA
	TFG-ASW	02-JUL-14	0.013	NA
TFG-N	MTU02-I	01-JUL-14	0.0077	NA
	MTU02-E	01-JUL-14	0.0079	NA
TF406	PTU5-I	16-JUL-14	0.015	NA
	PTU5-E	16-JUL-14	0.015	NA NA
TF406-NW	W-1801	01-JUL-14	0.0016	NA
	GTU03-E	01-JUL-14	<0.001	NA NA
TF5475-2	GTU09-I	28-AUG-14	0.013	NA
110470-2	GTU09-E	28-AUG-14	<0.001	NA NA

<sup>&</sup>lt;sup>a</sup>A discharge limit of 0.050 ppm is set for total chromium during the dry season (April 1-November 30), and no limit is set for total chromium for the wet season (December 1-March 31); however, a limit of 0.022 ppm hexavalent chromium applies during the wet season. Discharge limits are defined in the Explanation of Significant Differences for metals discharge limits (April 1997).

Shaded values exceeded the discharge limit. See text for explanation.

Table A-5. Bioassay, turbidity, and chloride analyses of effluent samples by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Aquatic Bioassay <sup>a</sup> Percent Survival	Turbidity Nephelometric Turbidity Units (NTU)	Chloride (mg/L)
TFA	TFA-E001	02-JUL-14	100 (100)	NA	NA
TFA-E	STU06-E	07-JUL-14	100 (100)	NA	NA
TFB	TFB-E002	02-JUL-14	100 (100)	NA	NA
TFC	TFC-E003	01-JUL-14	100 (100)	NA	NA
TFC-E	MTU1-E	09-JUL-14	100 (100)	NA	NA
TFC-SE	PTU1-E	07-JUL-14	100 (100)	NA	NA
TFD	TFD-E004	01-JUL-14	100 (100)	NA	NA
	TFD-E004	30-SEP-14	100 (100)	0.13	300
TFD-E	PTU8-E	09-JUL-14	100 (100)	NA	NA
TFD-HPD	PTU10-E	15-JUL-14	100 (100)	NA	NA
TFD-S	PTU2-E	07-JUL-14	100 (100)	NA	NA
TFD-SE	PTU11-E	09-JUL-14	100 (100)	NA	NA
TFD-SS	PTU12-E	02-JUL-14	100 (100)	NA	NA
TFD-W	PTU6-E	16-JUL-14	100 (100)	NA	NA
TFE-E	PTU3-E	08-JUL-14	100 (100)	NA	NA
TFE-HS	GTU07-E	17-JUL-14	100 (100)	NA	NA
TFE-NW	PTU9-E	10-JUL-14	100 (100)	NA	NA
TFE-SE	MTU04-E	02-JUL-14	100 (100)	NA	NA
TFE-SW	MTU03-E	14-JUL-14	100 (100)	NA	NA
TFE-W	MTU05-E	14-JUL-14	100 (100)	NA	NA
TFG-1	GTU01-E	02-JUL-14	100 (100)	NA	NA
TFG-N	MTU02-E	01-JUL-14	100 (100)	NA	NA
TF406	PTU5-E	16-JUL-14	100 (100)	NA	NA
TF406-NW	GTU03-E	01-JUL-14	100 (100)	NA	NA
TF5475-2	GTU09-E	28-AUG-14	100 (100)	NA	NA

<sup>&</sup>lt;sup>a</sup>Test species was Fathead minnow and the test duration was 96 hours. Percent survival in the control group samples shown in parentheses.

Note: NA = not applicable

#### **Explanation of Abbreviations**

TFA-I001 is a sampling port located immediately prior to the TFA Treatment System.

TFA-E001 is a sampling port located immediately after the TFA Treatment System, at the beginning of the discharge pipeline.

TFA receiving water is routinely sampled at the TFG-ASW location.

TFB-I002 is a sampling port located immediately prior to the TFB Treatment System.

TFB-E002 is a sampling port located immediately after the TFB Treatment System, at the beginning of the discharge pipeline.

TFB-R002 is a sampling station in the drainage ditch north of TFB, located approximately 75 ft downstream from the discharge point.

TFC-I003 is a sampling port located immediately prior to the TFC Treatment System.

TFC-E003 is a sampling port located immediately after the TFC Treatment System, at the beginning of the discharge pipeline.

TFC-R003 is a sampling station in Arroyo Las Positas, located approximately 75 ft downstream from the TFC discharge point.

TFD-l004 is a sampling port located immediately prior to the TFD Treatment System.

TFD-E004 is a sampling port located immediately after the TFD Treatment System, prior to discharge to the Lake Haussmann or to the underground discharge pipeline leading to Arroyo Las Positas.

TFD-R004 is now combined with and collected at the TFC-R003 location. Results are reported under TFC-R003, as approved by the RWOCB.

CRD1-I is a sampling port located immediately prior to the catalytic column in the Catalytic Reductive Dehalogenation treatment unit 1 (CRD1).

CRD1-E is the effluent from the catalytic column in the Catalytic Reductive Dehalogenation treatment unit 1 (CRD1) and then reinjected at W-1302.

CRD2-I is a sampling port located immediately prior to the catalytic columns in the Catalytic Reductive Dehalogenation treatment unit 2 (CRD2).

CRD2-E is the effluent from the last catalytic column in the Catalytic Reductive Dehalogenation treatment unit 2 (CRD2) and then reinjected at W-1610.

GTU01-I is a sampling port located immediately prior to GTU01, which is currently operating in the TFG-1 area.

GTU01-E is a sampling port located immediately after GTU01, which is currently operating in the TFG-1 area.

GTU01 receiving water is routinely sampled at the TFG-ASW location.

GTU03-I is a sampling port located immediately prior to GTU03, which is currently operating in the TF406 Northwest area.

GTU03-E is a sampling port located immediately after GTU03, which is currently operating in the TF406 Northwest area.

GTU03 receiving water is routinely sampled at the TFC-R003 location.

GTU07-I is a sampling port located immediately prior to GTU07, which is currently operating in the TFE Hotspot area.

GTU07-E is a sampling port located immediately after GTU07, which is currently operating in the TFE Hotspot area.

GTU07 receiving water is routinely sampled at the TFC-R003 location.

GTU09-I is a sampling port located immediately prior to GTU09, which is currently operating in the TF5475 area.

GTU09-E is a sampling port located immediately after GTU09, which is currently operating in the TF5475 area.

GTU09 receiving water is routinely sampled at the TFC-R003 location.

MTU02-I is a sampling port located immediately prior to MTU02, which is currently operating in the TFG North area.

MTU02-E is a sampling port located immediately after MTU02, which is currently operating in the TFG North area.

MTU02 receiving water is routinely sampled at the TFC-R003 location.

MTU03-I is a sampling port located immediately prior to MTU03, which is currently operating in the TFE Southwest area.

MTU03-E is a sampling port located immediately after MTU03, which is currently operating in the TFE Southwest area.

MTU03 receiving water is routinely sampled at the TFC-R003 location.

MTU04-I is a sampling port located immediately prior to MTU04, which is currently operating in the TFE Southeast area.

MTU04-E is a sampling port located immediately after MTU04, which is currently operating in the TFE Southeast area.

MTU04 receiving water is routinely sampled at the TFC-R003 location.

MTU05-I is a sampling port located immediately prior to MTU05, which is currently operating in the TFE West area.

MTU05-E is a sampling port located immediately after MTU05, which is currently operating in the TFE West area.

MTU05 receiving water is routinely sampled at the TFC-R003 location.

MTU1-I is a sampling port located immediately prior to MTU1, which is currently operating in the TFC East area.

MTU1-E is a sampling port located immediately after MTU1, which is currently operating in the TFC East area.

#### **Explanation of Abbreviations**

MTU1 receiving water is routinely sampled at the TFC-R003 location.

PTU1-I is a sampling port located immediately prior to PTU-1, which is currently operating in the TFC Southeast area.

PTU1-E is a sampling port located immediately after PTU-1, which is currently operating in the TFC Southeast area.

PTU1 receiving water is routinely sampled at the TFC-R003 location.

PTU2-I is a sampling port located immediately prior to PTU-2, which is currently operating in the TFD South area.

PTU2-E is a sampling port located immediately after PTU-2, which is currently operating in the TFD South area.

PTU2 receiving water is routinely sampled at TFC-R003 during the wet season.

PTU3-I is a sampling port located immediately prior to PTU-3, which is currently operating in the TFE East area.

PTU3-E is a sampling port located immediately after PTU-3, which is currently operating in the TFE East area.

PTU3 receiving water is routinely sampled at the TFC-R003 location.

PTU5-I is a sampling port located immediately prior to PTU-5, which is currently operating in the TF406 extraction location.

PTU5-E is a sampling port located immediately after PTU-5, which is currently operating in the TF406 extraction location.

PTU5 receiving water is routinely sampled at the TFC-R003 location.

PTU6-I is a sampling port located immediately prior to PTU-6, which is currently operating in the TFD West area.

PTU6-E is a sampling port located immediately after PTU-6, which is currently operating in the TFD West area.

PTU6 receiving water is routinely sampled at the TFC-R003 location.

PTU8-I is a sampling port located immediately prior to PTU-8, which is currently operating in the TFD East area.

PTU8-E is a sampling port located immediately after PTU-8, which is currently operating in the TFD East area.

PTU8 receiving water is routinely sampled at the TFC-R003 location.

PTU9-I is a sampling port located immediately prior to PTU-9, which is currently operating in the TFE Northwest area.

PTU9-E is a sampling port located immediately after PTU-9, which is currently operating in the TFE Northwest area.

PTU9 receiving water is routinely sampled at the TFC-R003 location.

PTU10-I is a sampling port located immediately prior to PTU-10, which is currently operating in the TFD Helipad area.

PTU10-E is a sampling port located immediately after PTU-10, which is currently operating in the TFD Helipad area.

PTU10 receiving water is routinely sampled at the TFC-R003 location.

PTU11-I is a sampling port located immediately prior to PTU-11, which is currently operating in the TFD Southeast area.

PTU11-E is a sampling port located immediately after PTU-11, which is currently operating in the TFD Southeast area.

PTU11 receiving water is routinely sampled at the TFC-R003 location.

PTU12-I is a sampling port located immediately prior to PTU-12, which is currently operating in the TFD Southshore area.

PTU12-E is a sampling port located immediately after PTU-12, which is currently operating in the TFD Southshore area.

PTU12 receiving water is routinely sampled at the TFC-R003 location.

STU06-I is a sampling port located immediately prior to STU06, which is operating in the TFA East area.


STU06-E is a sampling port located immediately after STU06, which is operating in the TFA East area.

STU06 receiving water is routinely sampled at the TFG-ASW location.

STU09-I is a sampling port located immediately prior to STU09, which is currently operating in the TF518-North area.

STU09-E is a sampling port located immediately after STU09, which is currently operating in the TF518-North area.

STU09 receiving water is routinely sampled at the TFC-R003 location.



## **Self-Monitoring Report** LLNL Treatment Facility A (TFA) AREA TFA

- 1. Reporting Period: Business Month July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u> <u>30</u> <u>31</u>

Total monthly time facility operated (hours): 719

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): 07-02-2014 Influent pH: Effluent pH: Effluent Temperature (°C): 20.1

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-109	1,088	0.0
W-262	396	0.0
W-457	397,360	9.1
W-404	1,347,524	31.6
W-408	469,200	11.2
W-415	1,699,168	41.5
W-605	328,375	8.9
W-518	187,514	4.4
W-522	597,056	14.0
W-614	476,188	11.2
W-1001	69,790	1.7
W-1004	448,104	10.6
W-1009	981,424	23.1
W-712	264,942	6.6
W-714	309,128	7.2
W-903	589,296	14.0
W-904	996,384	25.0
Total:	9,162,937	220.1

5. Discharge Information:

Receiving Discharge Location Water Station

Volume

West Perimeter Drainage Channel TFB-R002 4,856,836

# Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

#### Arroyo Seco

TFG-ASW

4,306,101

6. Comments:

Facility secured on 6-30-14 for maintenance. Restarted on 7-1-14. W-605 down on 7-25-14 due to flow meter failure. W-605 was restarted on 7-28-145.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 09-03-2014

## Self-Monitoring Report LLNL Treatment Facility A (TFA) AREA TFA

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): \_706

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): 08-01-2014
Influent pH: 7.5
Effluent pH: 7.5
Effluent Temperature (°C): 20.2

4. Wellfield Data:

	Monthly	Instantaneous	
Source	Volume(gal)	Flow Rate(gpm)	
W-109	0	0.0	
W-262	0	0.0	
W-404	1,335,704	31.5	
W-408	471,448	11.2	
W-415	1,624,864	41.1	
W-457	372,944	9.8	
W-605	366,888	8.9	
W-518	183,998	4.4	
W-522	601,008	14.4	
W-614	462,048	11.2	
W-1001	70,078	1.6	
W-1004	437,264	10.5	
W-1009	953,344	23.0	
W-712	257,879	6.3	
W-714	304,793	7.3	
W-903	552,240	13.5	
W-904	863,936	22.7	
Total:	8,858,436	217.4	_

5. Discharge Information:

<u>Discharge Location</u> <u>Water Station</u> <u>Volume</u>

West Perimeter Drainage Channel TFB-R002 4,703,349

Receiving

# Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

Arroyo Seco	TFG-ASW	4,155,087
6. Comments:		
7. I certify that the information in this repor	t, to the best of my knowle	edge, is true and correct.

# Self-Monitoring Report LLNL Treatment Facility A (TFA) AREA TFA

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August  $30 \ 31 \$  September  $01 \ 16 \ 17 \ 18 \ 19 \ 20 \ 21 \ 22 \ 23 \ 24 \ 25 \ 26 \ 27 \ 28 \ 29 \ 30$ 

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

19.3

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-109	0	0.0
W-262	358	0.0
W-404	1,485,934	31.6
W-408	523,440	11.5
W-415	1,834,592	40.9
W-457	377,784	8.1
W-518	202,764	4.4
W-522	675,136	14.5
W-605	346,661	8.6
W-614	505,324	11.7
W-712	245,467	6.1
W-714	295,423	7.4
W-903	581,784	12.6
W-904	873,584	19.3
W-1001	62,714	1.6
W-1004	478,344	10.9
W-1009	1,060,192	23.4
Total:	9,549,501	212.6

5. Discharge Information:

Discharge Location Receiving
Water Station

West Perimeter Drainage Channel TFB-R002 5,054,352

Volume

# Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

Arroyo Seco

TFG-ASW

4,495,149

6. Comments:

W-605, W-712, W-714 down on 8-29-14 due to flow meter failures. Restarted W-605, W-712, W-714 on 9-2-14.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Than C. Date: 10-03-2014

# Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>									
2. Dates (in <b>bold</b> ar	nd <u>underline</u> )	treated groun	nd water	was d	lischa	arged	l		
July <u>01</u>	02 03 04 17 18 19	$\frac{05}{20} \frac{06}{21} \frac{07}{22}$	08 <u>09</u> 23 <u>24</u>	10 25	11 26	<u>12</u> <u>27</u>	13 28	14 15 29 30	31
Total monthly time facility operated (hours):									
3. Monthly Complia	ance Data:								
Date compliance sampling performed (m/d/y):  Influent pH:  Effluent pH:  Effluent Temperature (°C):  07-07-2014  7.0  7.5  18.8									
4. Wellfield Data:									
Source	Monthly Volume(gal)	Instantaneo Flow Rate(							
W-254 W-1214	0 21,439	0. 0.							
Total:	21,439	0.	<u>5</u>	-					
5. Discharge Information:  Receiving									
Discharge Location				ater S		<u>n</u>	Ā	olume/	
Arroyo Seco				rfg-	ASW	<u>/</u>	-	21,439	
6. Comments:									
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature:  Date: 08-01-2014									

# Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

	. Dubiness won	th August Y	ear <u>2014</u>		
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged					
August <u>01</u>	02 03 04 17 18 19	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{09}{24} \ \frac{10}{25} \ \frac{11}{26} \ \frac{12}{27}$	$\frac{13}{28} \frac{14}{29} \frac{15}{29}$	
Total monthly time facility operated (hours):707					
3. Monthly Complia	ance Data:				
Date compliance sampling performed (m/d/y):  Influent pH:  Effluent pH:  T.0  Ffluent Temperature (°C):  19.1					
4. Wellfield Data:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)			
W-254 W-1214	0	0.0			
VV-1214	20,095	0.5		22	
Total:	20,095	0.5		e.	
	20,095	\$200 \$400 EQ1	Position		
Total:	20,095	\$20\$ \$40 BU	Receiving Water Station	Volume	
Total: 5. Discharge Inform	20,095 nation:	\$20\$ \$40 BU		Volume	
Total:  5. Discharge Inform <u>Discharge Lo</u>	20,095 nation:	\$20\$ \$40 BU	Water Station	10 <sup>-</sup>	

# Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>								
2. Dates (in <b>bold</b> ar	2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged							
	$\begin{array}{c} \frac{31}{02} \\ \frac{03}{17} \\ \frac{18}{18} \\ \end{array} \begin{array}{c} 04 \\ 19 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 09 10 3 24 25	11 26	<u>12</u> <u>27</u>	13 28	14 15 29 30	•
Total monthly t	Total monthly time facility operated (hours):							
3. Monthly Complia	nce Data:							
Date compliance sampling performed (m/d/y):  Influent pH:  Effluent pH:  Effluent Temperature (°C):  09-03-2014  7.0  7.5  17.1								
4. Wellfield Data:								
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpr	<u>n)</u>					
W-254 W-1214	0 22,089	0.0 0.5						
Total:	22,089	0.5						
5. Discharge Information:  Receiving								
Discharge Location			Water		<u>n</u>	$\underline{V}$	olume	
Arroyo Seco			TFG	-ASW	<u>/</u>	_	22,089	
6. Comments:								
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature:								

# Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 755

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): 07-02-2014Influent pH: 7.5Effluent pH: 7.5Effluent Temperature (°C): 21.8

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-357	364,592	8.2
W-610	292,816	6.5
W-620	221,796	5.1
W-621	88	0.0
W-655	26	0.0
W-704	785,424	17.2
W-1423	148,048	3.4
W-2501	698,894	16.2
W-2502	223,821	5.3
Total:	2,735,505	61.9

#### 5. Discharge Information:

Discharge Location Receiving
Water Station Volume

West Perimeter Drainage Channel TFB-R002 2,021,808

Building 133 Cooling Tower TFB-E-B133CT 713,697

#### 6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report (cont'd) LLNL Treatment Facility B (TFB) AREA TFB

	Colo C	
Operator Signature: _	Stor Flivagen Ci	Date: <u>08-01-2014</u>

# Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

. Reporting Period: Business Month <u>July</u> Year <u>2014</u>		
. Date compliance sampling performed <u>07-02-2014</u>		
Weather Conditions:	•	
Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	21.03 0.00 6/ SW	
Receiving Data:		
Sample Location pH Temperature (C)  Receiving Water N/M N/M		
Land Observations, as "Yes" or "No", for reporting r	month:	
Visual Observations	Effluent	Receiving Water
Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
Comments:		
I certify that the information in this report, to the best Operator Signature:	at of my knowledge, in the contract of my knowledge, in the contract of the co	
	Date compliance sampling performed 07-02-2014  Weather Conditions:  Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):  Receiving Data:  Sample Location pH Temperature (C)  Receiving Water N/M N/M  Land Observations, as "Yes" or "No", for reporting to Visual Observations  Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use  Comments:  I certify that the information in this report, to the best	Date compliance sampling performed 07-02-2014  Weather Conditions:  Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph): 6/SW  Receiving Data:  Sample Location pH Temperature (C)  Receiving Water N/M N/M  Land Observations, as "Yes" or "No", for reporting month:  Visual Observations  Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use  Not Required  Comments:  I certify that the information in this report, to the best of my knowledge,

#### Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 706

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

08-01-2014

7.5

7.5

20.9

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-357	283,528	8.1
W-610	258,464	6.7
W-620	165,172	4.1
W-621	0	0.0
W-655	0	0.0
W-704	606,760	17.6
W-1423	136,128	3.3
W-2501	605,158	15.9
W-2502	201,864	4.6
Total:	2,257,074	60.3

5. Discharge Information:

Discharge LocationReceiving<br/>Water StationVolumeWest Perimeter Drainage ChannelTFB-R0021,482,194Building 133 Cooling TowerTFB-E-B133CT774,880

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report (cont'd) LLNL Treatment Facility B (TFB) AREA TFB

Operator Signature: \_\_\_\_\_\_Stou Kawayun C: \_\_\_\_\_\_ Date: 09-02-2014

## Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

1.	Reporting Period: Business Month August Year 2014		
2.	Date compliance sampling performed <u>08-04-2014</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	23.13 0.00 5/ SW	
4.	Receiving Data:		
	Sample Location pH Temperature (C)  Receiving Water N/M N/M		
5.	Land Observations, as "Yes" or "No", for reporting r	month:	
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	No No No No
6.	Comments:		
7.	I certify that the information in this report, to the best Operator Signature:	1	

### Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 779

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

09-02-2014

7.5

7.5

19.6

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-357	371,632	8.7
W-610	290,092	6.2
W-620	182,592	3.9
W-621	0	0.0
W-655	90	0.0
W-704	809,504	17.5
W-1423	146,327	3.1
W-2501	724,708	16.3
W-2502	213,519	4.7
Total:	2,738,464	60.4

5. Discharge Information:

Discharge Location	Water Station	Volume
West Perimeter Drainage Channel	<b>TFB-R002</b>	1,794,590
Building 133 Cooling Tower	TFB-E-B133C	T 943.874

Receiving

- 6. Comments:
- 7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report (cont'd) LLNL Treatment Facility B (TFB) AREA TFB

Operator Signature: Date: 10-03-2014

# Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

1	. Reporting Period: Business Month September Year 2014		
2	. Date compliance sampling performed <u>09-02-2014</u>		
3	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	22.32 0.00 5/ SW	
4	Receiving Data:		
	Sample  Location pH Temperature (C)  Receiving Water N/M N/M		
5	Land Observations, as "Yes" or "No", for reporting	month:	
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
6	Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No Not Required	No
6	Odor Discoloration and Turbidity Evidence of Beneficial Water Use  Comments:	Not Required Not Required	No No No is true and correct.

## Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July <u>01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 </u>

Total monthly time facility operated (hours): <u>755</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-01-2014</u>
Influent pH:	7.0
Effluent pH:	7.5
Effluent Temperature (°C):	21.8

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	621,840	14.3
W-1015	64	0.0
W-1102	36	0.0
W-1103	44	0.0
W-1104	1,214,960	27.9
W-1116	65,410	1.5
Total:	1,902,354	43.7

5. Discharge Information:

<u>Discharge Location</u>

Receiving

<u>Water Station</u>

<u>Volume</u>

Arroyo Las Positas TFC-R003 1,902,354

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 08-01-2014

# Land Observation Report date: TFC-R003 - Arroyo Las Positas

1.	. Reporting Period: Business Month <u>July</u> Year <u>2014</u>		
2.	. Date compliance sampling performed <u>07-01-2014</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	20.66 0.00 7/ SW	
4.	Receiving Data:		
	Sample Location pH Temperature (C)  Receiving Water N/M N/M		
5.	Land Observations, as "Yes" or "No", for reporting r	nonth:	97
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	No No No No
6.	Comments:		
7.	I certify that the information in this report, to the best Operator Signature:	,	

#### **Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC**

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August

Total monthly time facility operated (hours): \_707

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-01-2014
Influent pH:	7.5
Effluent pH:	7.5
Effluent Temperature (°C):	21.1

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	568,392	13.6
W-1015	0	0.0
W-1102	0	0.0
W-1103	0	0.0
W-1104	353,504	27.3
W-1116	63,293	1.4
Total:	985,189	42.3

5. Discharge Information:

	Receiving			
Discharge Location	Water Station Vol			
Arroyo Las Positas	TFC-R003	985,189		

6. Comments:

W-1104 down on 8-9-14 due to pump failure.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Date: 09-02-2014 Operator Signature:

# Land Observation Report date: TFC-R003 - Arroyo Las Positas

٠.	Reporting Period: Business Month August Year 20	014	
2.	Date compliance sampling performed <u>08-04-2014</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	23.13 0.00 5/ SW	
4.	Receiving Data:		
	Sample         pH         Temperature (C)           Receiving Water         N/M         N/M		
5.	Land Observations, as "Yes" or "No", for reporting r	month:	
	Visual Observations	<u>Effluent</u>	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	No No No No
6.	Comments:		
7.	I certify that the information in this report, to the bes Operator Signature:	t of my knowledge, i  Date: 09-0	s true and correct. 5-2014

## Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August  $30 \ 31$ September  $01 \ 02 \ 03 \ 04 \ 05 \ 06 \ 07 \ 08 \ 09 \ 10 \ 11 \ 12 \ 13 \ 14 \ 15 \ 16 \ 17 \ 18 \ 19 \ 20 \ 21 \ 22 \ 23 \ 24 \ 25 \ 26 \ 27 \ 28 \ 29 \ 30$ 

Total monthly time facility operated (hours): 779

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-02-2014
Influent pH:	7.5
Effluent pH:	7.5
Effluent Temperature (°C):	23.2

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	623,192	13.6
W-1015	0	0.0
W-1102	0	0.0
W-1103	0	0.0
W-1104	0	0.0
W-1116	74,784	1.6
Total:	697,976	15.2

5. Discharge Information:

	Receiving			
Discharge Location	Water Station	Volume		
_Arroyo Las Positas	TFC-R003	697.976		

6. Comments:

7. I certify that the in	formation	in this report, to the b	est of my knowledge, is true and correct
Operator Signature:	Ston	Fawaracci	Date: <u>10-03-2014</u>

# Land Observation Report date: TFC-R003 - Arroyo Las Positas

1.	Reporting Period: Business Month September Year	r <u>2014</u>	
2.	Date compliance sampling performed <u>09-02-2014</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	22.32 0.00 5/ SW	
4.	Receiving Data:		
	Sample Location pH Temperature (C)  Receiving Water N/M N/M		
5.	Land Observations, as "Yes" or "No", for reporting r	month:	
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
6.	Comments:		
7.	I certify that the information in this report, to the best Operator Signature:	et of my knowledge, is	

## Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

June	28	<u>29</u>	<u>30</u>													
July	01	02	03	04	<u>05</u>	<u>06</u>	<u>07</u>	<u>08</u>	<u>09</u>	10	11	<u>12</u>	13	14	<u>15</u>	
(50)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Total monthly time facility operated (hours): 765

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-09-2014</u>
Influent pH:	7.0
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	21.6

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-368	47,058	1.0
W-413	758,340	16.4
Total:	805,398	17.4

5. Discharge Information:

Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	805,398

6. Comments:

Facility was down due to overload on Well 413, overload was adjusted.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Tent Vanday Date: 08-04-2014

## Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month August Year 2014

2. Dates (in bol	d and <u>underline</u> )	treated ground wa	ter was dischar	ged
August	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$     \begin{array}{c cccc}       05 & 06 & 07 & 08 \\       \hline       20 & 21 & 22 & 23     \end{array} $	$\frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{1}{2}$	2 <u>13</u> <u>14</u> <u>15</u>
Total month	ly time facility ope	erated (hours):	<u>669</u>	
3. Monthly Com	pliance Data:			
Influent pH: Effluent pH:		formed (m/d/y):	$\begin{array}{r} \underline{08\text{-}06\text{-}2014} \\ \underline{7.0} \\ \underline{7.5} \\ \underline{22.8} \end{array}$	
4. Wellfield Data	a:			
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-368 W-413	39,730 664,726	1.0 16.6		
Total:	704,456	<u>17.6</u>	<del></del>	
5. Discharge Info	ormation:		Receiving	
Discharge	Location		Water Station	Volume
	Las Positas		TFC-R003	704,456
Arroyo	Lus I ostus			N. The state of th
6. Comments:	Las I ostas			
6. Comments:	ne information in the	his report, to the be		ledge, is true and correct.

## Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>						
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged						
	30 31 04 17 18 19	05 06 07 22 ·	08 09 10 23 24 25	11 12 26 27	13 14 28 29	15 30
Total monthly t	ime facility ope	erated (hours):	_342			
3. Monthly Complia	ance Data:					
Date compliance sampling performed (m/d/y):  Influent pH:  Effluent pH:  Effluent Temperature (°C):  09-04-2014  7.0  7.5  21.9						
4. Wellfield Data:						
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gr				
W-368 W-413	20,449 330,694	1.0 16.0				
Total:	351,143	<u>17.0</u>				
5. Discharge Inform <u>Discharge Lo</u>	5. Discharge Information:  Receiving  Discharge Location  Water Station  Volume					
Arroyo Las Positas TFC-R003 351,143						
6. Comments: Facility down for system upgrades.						
7. I certify that the information in this report, to the best of my knowledge, is true and correct.						
Operator Signature: Date: 10-01-2014						

## Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

l. Reporting Perio	od: Business Mon	th <u>July</u> Year	<u>2014</u>		
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged					
July <u>(</u>	$     \begin{array}{c cccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{27}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
Total monthly	y time facility ope	erated (hours):	7 <u>54</u>		
3. Monthly Comp	liance Data:				
Date compliance sampling performed (m/d/y): $07-07-2014$ Influent pH: $7.5$ Effluent pH: $7.5$ Effluent Temperature (°C): $21.1$					
4. Wellfield Data:	:				
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)			
W-1213 W-2201	86,871 18,401	1.9 0.0			
Total:	105,272	1.9			
5. Discharge Info	rmation:		D		
Discharge I	Location		Receiving Water Station	Volume	
Arroyo Las Positas TFC-R003 105,272					
6. Comments: W-2201 started on 7-8-14 for hydraulic test. W-2201 secured on 7-9-14.					
7. I certify that the information in this report, to the best of my knowledge, is true and correct.					
Operator Signatur	re: Juu	Cawagu -	Date: 0	<u>8-01-2014</u>	

#### Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

1. Reporting Period: Business Month August Year 2014 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged August <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u> Total monthly time facility operated (hours): 706 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 08-04-2014 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source Volume(gal) Flow Rate(gpm) W-1213 82,195 2.0 W-2201 4,068 0.0 Total: 86,263 2.0 5. Discharge Information: Receiving Discharge Location Water Station Volume Arroyo Las Positas TFC-R003 86,263 6. Comments: W-2201 ran for sampling only. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature:

## Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

1. Reporting Period:	Business Mon	th September	Year <u>2014</u>			
2. Dates (in <b>bold</b> an	2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged					
September 01		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
Total monthly ti	me facility ope	erated (hours):	778			
3. Monthly Complia	nce Data:					
Influent pH: Effluent pH:	· · · · · · · · · · · · · · · · · · ·					
4. Wellfield Data:						
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)				
W-1213 W-2201	90,250 0	2.0 0.0				
Total:	90,250	2.0				
5. Discharge Information:  Receiving  Discharge Location  Water Station  Volume						
Arroyo Las	Positas		TFC-R003	90,250		
6. Comments:						
7. I certify that the information in this report, to the best of my knowledge, is true and correct.						
Operator Signature: Date: 10-03-2014						

## Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July <u>01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 </u>

Total monthly time facility operated (hours): 752

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	07-01-2014
Influent pH:	7.5
Effluent pH:	7.5
Effluent Temperature (°C):	22.1

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-351	58,864	1.3
W-653	2,546	3.0
W-906	34	0.0
W-907-2	434,757	9.8
W-2011	5,479	3.0
W-2101	6,398	3.0
W-2102	12,247	3.0
W-1206	584,471	12.8
W-1208	1,001,883	22.6
Total:	2,106,679	58.5

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arroyo Las Positas	TFC-R003	2,095,105
TFD irrigation supply	TFD-IRR	_11,574

#### 6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report (cont'd) LLNL Treatment Facility D (TFD) AREA TFD

Operator Signature: Date: 08-01-2014

#### Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 483

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>08-01-2014</u>
Influent pH:	<u>7.5</u>
Effluent pH:	7.5
Effluent Temperature (°C):	22.9

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-351	37,656	1.3
W-653	1,603	3.0
W-906	0	0.0
W-907-2	277,005	9.7
W-2011	3,479	3.0
W-1206	376,206	13.2
W-1208	639,610	22.5
W-2102	7,867	3.0
W-2101	4,064	3.0
Total:	1,347,490	<u>58.7</u>

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arroyo Las Positas	TFC-R003	1,342,956
TFD irrigation supply	TFD-IRR	4,534

#### 6. Comments:

Facility was shutdown on 08-20-2014 for replacement of air stripper system.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report (cont'd) LLNL Treatment Facility D (TFD) AREA TFD

Operator Signature: Date: 09-02-2014

#### Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

- 1. Reporting Period: Business Month September Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): \_5

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):  $\begin{array}{ccc} \textbf{09-30-2014} \\ \textbf{Influent pH:} & \textbf{7.5} \\ \textbf{Effluent pH:} & \textbf{7.5} \\ \textbf{Effluent Temperature (°C):} & \textbf{21.8} \\ \end{array}$ 

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-351	423	1.3
W-653	115	3.0
W-906	0	0.0
W-907-2	3,198	9.7
W-2011	136	3.0
W-2101	196	3.0
W-2102	292	3.0
W-1206	3,874	12.0
W-1208	7,346	22.5
Total:	15,580	<u>57.5</u>

5. Discharge Information:

<u> </u>	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	TFC-R003	_15,580
TFD irrigation supply	TFD-IRR	_0

#### 6. Comments:

Facility was restarted on 09-22-2014. Facility was shutdown on 09-22-2014. Facility was restarted on 09-29-2014. Facility was shutdown on 09-29-2014. Facility was restarted on 09-30-2014. Facility was shutdown on 09-30-2014. New

## Self-Monitoring Report (cont'd) LLNL Treatment Facility D (TFD) AREA TFD

air stripper installed. Initial date of operation 9-22-14. Run in manned operation mode only.

7. I certify that the infor	mation in this report, to the best of r	my knowledge, is true and correct.
Operator Signature:	Stat Buranco	Date: <u>10-09-2014</u>

#### Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

 June
 28
 29
 30

 July
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31

Total monthly time facility operated (hours): 699

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-09-2014</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	23.7

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-2006	721	0.0
W-1301	21,577	0.5
W-1303	35,160	0.9
W-1306	4,797	0.0
W-1307	218,640	4.9
W-1550	11,789	0.2
W-2203	5,381	0.0
Total:	298,065	6.5

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	298,065

6. Comments:

Facility was down for maintenance to the discharge pump and to change VFD settings for the discharge pump.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

#### Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

Total monthly time facility operated (hours): 629

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>08-06-2014</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	23.3

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-2006	588	0.0	
W-1301	18,970	0.5	
W-1303	36,998	1.0	
W-1306	4,125	0.0	
W-1307	196,059	4.8	
W-1550	9,396	0.2	
W-2203	4,860	0.0	
Total:	270,996	6.5	

5. Discharge Information:

e e e e e e e e e e e e e e e e e e e	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	270,996

6. Comments:

Facility did not run on 8/3/14 due to discharge pump controller issues, settings were changed and system restarted. Facility was secured briefly on 8/23/14 and both carbon canister were changed out due to leaking water from bottom rings.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-08-2014

#### Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 783

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>09-04-2014</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>23.1</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-2006	679	0.0	
W-1301	29,133	0.6	
W-1303	54,061	1.1	
W-1306	6,286	0.0	
W-1307	331,537	6.0	
W-1550	11,010	0.2	
W-2203	6,305	1.8	
Total:	439,011	9.7	

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	439,011

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-01-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

1. Reporting Period: 1	Business Mon	th <u>July</u> Year	2014	
2. Dates (in <b>bold</b> and	l <u>underline</u> )	treated ground wa	nter was discharged	i
June <u>28</u> July <u>01</u> <u>16</u>	29     30       02     03     04       17     18     19	05 06 <u>07</u> <u>08</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u>	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{13}{28} \frac{14}{29} \frac{15}{30}$
Total monthly tir	ne facility ope	rated (hours):	722	
3. Monthly Complian	ice Data:			
Date compliance Influent pH: Effluent pH: Effluent Tempera		Formed (m/d/y):	$   \begin{array}{r}     \underline{07-15-2014} \\     \underline{7.5} \\     \underline{7.5} \\     \underline{22}   \end{array} $	
4. Wellfield Data:				
	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-1254	161,646	3.3		
Total:	161,646	3.3	transmission.	
5. Discharge Informa	tion:		Descioles.	
Discharge Loca	ation		Receiving Water Station	Volume
Arroyo Las	<u>Positas</u>		TFC-R003	161,646
was restarted o	n 07-07-2014 al interlock ch	at 08:21. Facility	8 due to facility low was shutdown on ance work. Facility	
7. I certify that the in	formation in the	his report, to the b	est of my knowled	dge, is true and correct
Operator Signature: 2	Belle	zdil_	Date: 08	8-13-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

1. Reporting Period:	Business Mont	th August Ye	ear <u>2014</u>	
2. Dates (in <b>bold</b> ar	nd <u>underline</u> ) t	treated ground wat	ter was discharged	i
July 31 August 01	02 03 04 17 18 19	$\frac{05}{20}  \frac{06}{21}  \frac{07}{22}  \frac{08}{23}$	09 10 11 12 24 25 26 27	13 14 15 28 29
Total monthly t	ime facility ope	rated (hours): 6	<u>541</u>	
3. Monthly Complia	ince Data:			
Date complianc Influent pH: Effluent pH: Effluent Tempe	•	formed (m/d/y):	$   \begin{array}{r}     \underline{08-11-2014} \\     \underline{7.5} \\     \underline{7.5} \\     \underline{20.6}   \end{array} $	
4. Wellfield Data:				
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-1254	156,569	2.6		
Total:	156,569	2.6		
5. Discharge Inform	nation:		Receiving	
Discharge Lo	cation		Water Station	Volume
Arroyo La	s Positas		TFC-R003	156,569
•		-14-2014 at 21:44 8-2014 at 13:51.	due to facility lov	v flow. The
7. I certify that the i	nformation in the	his report, to the b	est of my knowled	dge, is true and correct
Operator Signature:	Butty	File	Date: 09	9-12-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

1. Reporting Period: Business Month September Year 2014
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged
August September $\frac{30}{16} \frac{31}{17} \frac{02}{18} \frac{03}{19} \frac{04}{20} \frac{05}{21} \frac{06}{22} \frac{07}{23} \frac{08}{24} \frac{09}{25} \frac{10}{26} \frac{11}{27} \frac{12}{28} \frac{13}{29} \frac{14}{30}$
Total monthly time facility operated (hours): 604
3. Monthly Compliance Data:
Date compliance sampling performed (m/d/y):
4. Wellfield Data:
Monthly Instantaneous  Source Volume(gal) Flow Rate(gpm)
W-1254 233,668 6.2
Total: <u>233,668</u> <u>6.2</u>
5. Discharge Information:  Receiving
Discharge Location Water Station Volume
Arroyo Las Positas TFC-R003 233,668
<ol> <li>Comments:         Facility was shutdown at 8:00 on 09-22-2014 due to Fy14 Drainage Channel Maintenance and Invasive Species Control Schedule. Facility was restarted at 08:30 on 09-29-2014.     </li> </ol>
7. I certify that the information in this report, to the best of my knowledge, is true and correct
Operator Signature: Bully Lull Date: 10-20-2014

## Self-Monitoring Report LLNL ISB01 (ISB01) AREA TFD-HPD

- 1. Reporting Period: Business Month July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

June
July

28 29 30

10 02 03 04 05 06 07 08 09 10 11 12 13 14 15

16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 222

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1650	564	3.8
W-1653	59	0.9
W-1655	184	2.2
W-1657	12	0.4
Total:	819	7.3

5. Discharge Information:

Receiving	
Water Station	Volume
W-1552	819
	Water Station

#### 6. Comments:

Compliance sampling is not required at this facility due to the fact that ISB01 is a closed loop system, and water is not discharged to the environment. Water was circulated through the system but was not treated. Approximately 159.36 gals of facility water were diverted to the premixing tote (from 7/11 - 7/25). The facility did not operate for a number of days during the Control System Field Test( Gold System), tote filling operation, Larox pump injection operation, and during the time that maintenance work was being performed.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

# Self-Monitoring Report (cont'd) LLNL ISB01 (ISB01) AREA TFD-HPD

	D cH4 1 21-1	
Operator Signature:	Both Levil	Date: 09-09-2014
obermer or Present		

## Self-Monitoring Report LLNL ISB01 (ISB01) AREA TFD-HPD

1. Reporting Period: Business Month August Year 2014

2. Dates (in bold and underline ) treated ground water was discharged

July 31 August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 1

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-1650	45	1.1	
W-1653	28	0.3	
W-1655	15	5.0	
W-1657	0	0.0	
Total:	88	6.4	

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
ISB01 injection well	W-1552	_88

#### 6. Comments:

Compliance sampling is not required at this facility due to the fact that ISB01 is a closed loop system, and water is not discharged to the environment. Water was circulated through the system but was not treated. The startup of the facility occurred at 14:19 on 8-29-14. The facility was shut down at 15:31 on 8-29-14. The facility did not operate for most of the month until a new pump was installed in W-1653 and the SOP3.2 was performed.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-24-2014

## Self-Monitoring Report LLNL ISB01 (ISB01) AREA TFD-HPD

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and underline ) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 355

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1650	584	3.1
W-1653	484	1.4
W-1655	0	0.0
W-1657	0	0.0
Total:	1,068	4.5

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
ISB01 injection well	W-1552	1,068

#### 6. Comments:

Compliance sampling is not required at this facility due to the fact that ISB01 is a closed loop system, and water is not discharged to the environment. Water was circulated through the system but was not treated. The facility did not operate for approximately 70.5 hrs for a variety of reasons: There was a leak that had to be fixed, the facility did not operate during the time of the incremental testing of the Gold System and interlock checks,on certain days the facility operated during manned hours, the facility did not always operate over the weekend, and the facility did not operate for several hours when the W-1657 FTsumL interlock was broken. At 10:24 on 9-10-14 approximately 7.36 gals of facility water were added to the premixing tote.

# Self-Monitoring Report (cont'd) LLNL ISB01 (ISB01) AREA TFD-HPD

7. I certify that the information in this report, to the best of my	knowledge, is true and correct.
Operator Signature: Bully Hill	Date: 10-20-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July <u>01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 </u>

Total monthly time facility operated (hours): 716

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	07-07-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	22.4

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1503	375,024	11.9
W-1504	307,309	7.3
W-1510	131,144	3.2
W-2601	167,719	4.3
Total:	981,196	26.7

5. Discharge Information:

Discharge Location	Water Station Volu	
Arroyo Las Positas	TFC-R003	981,196

6. Comments:

System was secured for maintenance on 7/29/14 and restarted on 7/30/14.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-01-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 696

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-01-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	<u>22.6</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1503	313,334	9.9
W-1504	294,049	7.0
W-1510	127,077	3.1
W-2601	218,499	6.4
Total:	952,959	26.4

5. Discharge Information:

Discharge Location	Receiving	Valuma
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	952,959

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-02-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August September  $\frac{30}{16}$   $\frac{31}{17}$   $\frac{02}{18}$   $\frac{03}{19}$   $\frac{04}{20}$   $\frac{05}{21}$   $\frac{06}{22}$   $\frac{07}{23}$   $\frac{08}{24}$   $\frac{09}{25}$   $\frac{10}{26}$   $\frac{11}{27}$   $\frac{12}{28}$   $\frac{13}{29}$   $\frac{14}{30}$ 

Total monthly time facility operated (hours): 671

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-03-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	22.5

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1503	400,376	9.1
W-1504	294,449	7.3
W-1510	131,204	3.3
W-2601	214,769	4.8
Total:	1,040,798	24.5

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	1,040,798

6. Comments:

System secure from 9/18/14 to 9/22/14 for FY14 Drainage Channel Maintenance and Invasive Species Control work.

7. I certify that the information in this report, to the best of	of my knowledge is true and correct
	or my knowledge, is true and confect.
Operator Signature: Mul Cl	Date: 10-01-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

 June
 28
 29
 30

 July
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31

Total monthly time facility operated (hours): 811

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	07-09-2014
Influent pH:	7.0
Effluent pH:	7.5
Effluent Temperature (°C):	21.9

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-314	222,324	4.6
W-2005	21,500	0.4
W-1308	47,977	0.9
W-1403	42,464	0.8
W-1904	0	0.0
SIP-ETC-201	0	0.0
Total:	334,265	6.7

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	334,265	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 08-04-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

Total monthly time facility operated (hours): 672

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-06-2014
Influent pH:	<u>7.0</u>
Effluent pH:	7.5
Effluent Temperature (°C):	21.7

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-314	170,231	3.9
W-2005	15,314	0.3
W-1308	37,951	1.0
W-1403	37,349	0.9
W-1904	0	0.0
SIP-ETC-201	0	0.0
Total:	260,845	6.2

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	260,845

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Auf Van Date: 09-08-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 792

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-04-2014
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	21.4

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-314	234,284	4.3
W-2005	15,705	0.3
W-1308	55,062	1.1
W-1403	49,882	1.0
W-1904	0	0.0
SIP-ETC-201	. 0	0.0
Total:	354,933	6.7

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	<u>Volume</u>	
Arrovo Las Positas	TFC-R003	354,933	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July <u>01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 </u>

Total monthly time facility operated (hours): \_670

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	07-02-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	<u>19.6</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
Source	voiume(gar)	riow Rate(gpin)
W-1523	209,612	5.1
W-1601	33,342	0.8
W-1602	94,884	2.4
W-1603	378,074	9.4
Total:	715,912	<u>17.7</u>

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	715.912

6. Comments:

Facility was shutdown on 07-11-2014 for repairs. Facility was restarted on 07-14-2014.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 08-01-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 696

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-11-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	20.5

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1523	210,346	5.4
W-1601	34,397	0.8
W-1602	97,338	2.3
W-1603	411,790	9.7
Total:	753,871	18.2

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	TFC-R003	753,871

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-02-2014

#### Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 495

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-09-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	20.8

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1523	152,701	5.1
W-1601	26,817	0.9
W-1602	75,101	2.5
W-1603	399,789	13.8
Total:	654,408	22.2

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	654,408

#### 6. Comments:

System secure from 9/18/14 to 9/22/14 for FY 14 Drainage Channel Maintenance and Invasive Species Control work. The facility was cycled several times for HMI and discharge pump testing on the following dates: Facility was restarted on 09-22-2014. Facility was shutdown on 09-22-2014. Facility was restarted on 09-23-2014. Facility was shutdown on 09-23-2014. Facility was restarted on 09-24-2014. Facility was shutdown on 09-24-2014. Facility was restarted on 09-25-2014. Facility was shutdown on 09-26-2014. Facility was restarted on 09-30-2014. Facility was shutdown on 09-30-2014.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

# Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

Vind las	
Operator Signature:	Date: 10-01-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

June Juny 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 800

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-16-2014</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	20.6

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1215	477,627	10.0
W-1216	481,926	10.2
W-1902	715,295	15.1
Total:	1,674,848	35.3

5. Discharge Information:

Arrovo Las Positas	TFC-R003	1,674,848
Discharge Location	Water Station	Volume

6. Comments:

NA

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-13-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 728

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>08-11-2014</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>21.1</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1215	436,144	10.0
W-1216	433,950	10.1
W-1902	653,341	15.1
Total:	1,523,435	35.2

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	1,523,435

6. Comments:

NA

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-12-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and underline ) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 608

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-16-2014
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	21.3

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1215	363,193	10.0
W-1216	363,863	10.1
W-1902	544,735	15.0
Total:	1,271,791	35.1

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	1,271,791

6. Comments:

Facility was shutdown at 11:36 on 09-22-2014 due to Fy14 Drainage Channel Maintenance and Invasive Species Control Schedule. Facility was restarted at 08:15 on 09-29-2014.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014

#### Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

- 1. Reporting Period: Business Month July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

3. Wellfield Data:

1	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1904	65	0.0	0	0	1
W-ETC-2003	287,145	6.2	39	64	781
SIP-ETC-201	10	0.0	0	0	0
W-ETC-2004	A 48,995	1.1	-1.47	64	781
W-ETC-20041	B 430,432	9.1	-1.36	64	781
Total:	766,647	16.3		10-74	

4. Comments:

Facility shutdown 6/28/14 at 07:10, attributed to high level in condensate collection tank. Facility was restarted 6/30/14 at 10:20. Quarterly vapor samples collected from idle and operating extraction wells 7/15/14. End month volumes for extraction wells were calculated from individual flow measurements, and not derived from facility totalizer values.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-27-2014

### Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

- 1. Reporting Period: Business Month August Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

3. Wellfield Data:

N	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1904	0	0.0	0	0	0
W-ETC-2003	259,282	5.7	44	70	679
SIP-ETC-201	0	0.0	0	0	0
W-ETC-2004A	45,012	1.2	-1.74	70	679
W-ETC-2004F	397,271	10.5	-1.59	70	679
Total:	701,565	17.4			

#### 4. Comments:

Facility was shutdown on 08-18-2014 at 10:30 to replace OPTO analog module at W-ETC-2003. Facility was restarted on 08-18-2014 at 11:50. End month volumes for extraction wells were calculated from individual flow measurements, and not derived from facility totalizer values.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 09-08-2014

## Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

3. Wellfield Data:

	Monthly <u>Volume(cu. ft)</u>	Instantaneous Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	Hours of Op.
W-1904	0	0.0	0	0	0
W-ETC-2003	291,685	6.1	4	68	789
SIP-ETC-201	0	0.0	0	0	0
W-ETC-2004	A 49,754	1.1	-1.52	68	789
W-ETC-20041	B 453,563	9.5	-1.4	68	789
Total:	795,002	16.8	e enace		

#### 4. Comments:

Facility was shutdown on 09-08-2014 at 12:20 due to high discharge separator level. Facility was restarted on 09-08-2014 at 15:30. Facility was shutdown on 09-26-2014 at 07:26 attributed to high discharge separator level. Facility was restarted on 09-26-2014 at 08:43. End month volumes for extraction wells were calculated from individual flow measurements, and not derived from facility totalizer values.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 10-13-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): <u>857</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-08-2014</u>
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	<u>21.4</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-566	378,284	7.8
W-1109	0	0.0
W-2305	0	0.0
W-1903	10,835	0.0
W-1909	0	0.0
Total:	389,119	7.8

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	389,119

6. Comments:

W-1903 vacuum enhanced groundwater extraction secured 7/20/14 due to failure of VES 16.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 08-26-2014

### Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month <u>August</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

Total monthly time facility operated (hours): \_518

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-15-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	21.3

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-566	241,638	7.9
W-1109	6,041	0.0
W-1903	0	0.0
W-1909	0	0.0
W-2305	35	0.0
Total:	247,714	7.9

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	247,714

6. Comments:

Facility was shutdown on 08-06-2014 at 18:18. Facility was restarted on 08-07-2014 at 13:32. Facility was shutdown on 08-08-2014 at 18:21 Facility was restarted on 08-14-2014 at 09:10. Shutdowns triggered by erroneous flow meter failure alarms associated with W-1109 upgrade.

Operator Signature: Date: 09-04-2014	1

#### Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 29 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): \_\_730

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-02-2014
Influent pH:	7.0
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>21.7</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-566	327,995	7.9
W-1109	71,604	1.8
W-1903	0	0.0
W-1909	0	0.0
W-2305	0	0.0
Total:	399,599	9.7

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	TFC-R003	399,599

6. Comments:

Facility was shutdown on 09-18-2014 at 08:43 in support of the Lake Haussmann drainage channel maintenance, invasive species control project. Facility was restarted on 09-22-2014 at 11:23. Facility was shutdown on 09-23-2014 at 09:00 to conduct system interlock checks, Facility was restarted on 09-23-2014 at 09:40.

#### Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

 June
 27
 28
 29
 30

 July
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31

Total monthly time facility operated (hours): <u>367</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-17-2014</u>
Influent pH:	<u>7.0</u>
Effluent pH:	7.0
Effluent Temperature (°C):	<u>26</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-2105	750	0.5
Total:	750	0.5

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	750	

6. Comments:

Facility secured 5/20/14 due to W-2105 flowmeter failure. Facility was restarted 7/16/14 at 08:55. GTU07/W-2105 secured 7/16/14 at 16:20 in preparation for monthly facility sampling. Facility was restarted 7/17/14 at 09:22. W-2105 utilizes vacuum-enhanced groundwater extraction combined with cyclic pump operation. Therefore constant flow rate and hours of operation may not correspond.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 08-26-2014

### Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

Total monthly time facility operated (hours): <u>542</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-13-2014
Influent pH:	7.0
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	26.2

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-2105	1,085	0.0	
W-2801	38,729	2.1	
Total:	39,814	2.1	

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	<u>Volume</u>	
Arrovo Las Positas	TFC-R003	39,814	

#### 6. Comments:

GTU07/W-2105 shutdown 7/31 at 13:25 restarted 7/31 at 14:37 due loss of vacuum at wellhead causing upset condition to groundwater level transducer activating low level interlock. GTU07/W-2105 shutdown 8/1 at 07:42 and restarted 8/5 at 13:27 due loss of vacuum at wellhead causing upset condition to groundwater level transducer activating low level interlock. GTU07/W-2150 shutdown 8/11 at 15:15 to perform T&V prior to activation of W-2801. Facility was restarted and W-2801 activated 8-12-14 at 13:27. . W-2105 utilizes vacuum-enhanced groundwater extraction combined with cyclic pump operation. Therefore, constant flow rate and hours of operation may not correspond.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_\_ Date: 09-08-2014

#### Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): <u>689</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

09-29-2014

7.0

21.3

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-2105	1,260	0.7	
W-2801	59,744	1.3	
Total:	61,004	2.0	

5. Discharge Information:

Pischarge Location Receiving Water Station Volume

Arroyo Las Positas TFC-R003 61,004

6. Comments:

Facility shutdown 9-2-14 at 07:37 to repair broken fitting on W-2801 discharge piping. Facility was restarted 9-2-14 at 14:36. Facility shutdown 9-18-14 at 09:40 in support of the Lake Haussmann vegetation removal project. Facility was restarted 9-22-14 at 11:56. W-2105 utilizes vacuum-enhanced groundwater extraction combined with cyclic pump operation. Therefore constant flow rate and hours of operation may not correspond.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-07-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>				
2. Dates (in bold	and <u>underline</u> ) t	treated ground wa	ater was discharged	Į
July	01 02 03 04 16 17 18 19	05 06 07 08 <b>20 21 22 23</b>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{13}{28}  \frac{14}{29}  \frac{15}{30}  31$
Total monthl	y time facility oper	rated (hours):	<u>494</u>	
3. Monthly Comp	pliance Data:			2000
Date compliance sampling performed (m/d/y): 07-10-2014 Influent pH: 7.0 Effluent pH: 7.0 Effluent Temperature (°C): 23.8				
4. Wellfield Data	ı:			
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	1	
W-1211 W-1409	180,340 62,994	6.2 2.1		
Total:	243,334	8.3		
5. Discharge Information:				
Discharge	Location		Receiving Water Station	Volume
Arroyo	Las Positas		TFC-R003	243,334
<ol> <li>Comments:         Facility was shutdown on 06-30-2014 for discharge pump troubleshooting and repairs. Facility was restarted on 07-10-2014.     </li> </ol>				
7. I certify that the information in this report, to the best of my knowledge, is true and correct.				
Operator Signature: Date: 08-01-2014				

# Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

1. Reporting Period	d: Business Mon	th August Ye	ear <u>2014</u>		
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged					
August <u>0</u>	1 02 03 04 6 17 18 19	$\frac{05}{20}  \frac{06}{21}  \frac{07}{22}  \frac{08}{23}$	$\frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{27}$		
Total monthly	time facility ope	erated (hours):	707		
3. Monthly Compli	iance Data:				
Influent pH: Effluent pH: Effluent Temp	ce sampling perferature (°C):	formed (m/d/y):	$   \begin{array}{r}     \underline{08-08-2014} \\     \underline{7.0} \\     \underline{7.0} \\     \underline{20.8}   \end{array} $		
4. Wellfield Data:				*	
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)			
W-1211 W-1409	260,656 89,744	6.2 2.1			
Total:	350,400	8.4			
5. Discharge Inforr	nation:				
Discharge Lo	ocation		Receiving Water Station	Volume	
Arroyo La	ns Positas		TFC-R003	350,400	
6. Comments:					
7. I certify that the	information in the	his report, to the bo	est of my knowled	dge, is true and correct	t.
Operator Signature: Date: 09-02-2014					

### Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and underline ) treated ground water was discharged

Total monthly time facility operated (hours): 226

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-04-2014
Influent pH:	7.0
Effluent pH:	7.0
Effluent Temperature (°C):	20.9

4. Wellfield Data:

Course	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1211	83,277	6.3
W-1409	29,554	2.2
Total:	112,831	8.6

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	112,831	

6. Comments:

The following operational and secured cycles were due to discharge pump trouble shooting and repair: Facility was shutdown on 09-01-2014. Facility was restarted on 09-04-2014. Facility was shutdown on 09-05-2014. Facility was restarted on 09-12-2014. Facility was shutdown on 09-12-2014. Facility was restarted on 09-19-2014. System secure from 9/22/14 to 9/29/14 for FY 14 Drainage Channel Maintenance and Invasive Species Control work.

7. I certify that the informa	tion in this report, to the best of	f my knowledge, is true and correct
Operator Signature:	ud ller	Date: <u>10-01-2014</u>

# Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Period: Business Month July Year 2014

2. Dates (in <b>bold</b> a	2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged			
June July $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				
Total monthly	time facility ope	erated (hours):	<u>828</u>	
3. Monthly Compli	ance Data:			M.
Influent pH: Effluent pH:				
4. Wellfield Data:				
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-359	419,797	8.4		
Total:	419,797	8.4		
5. Discharge Inform	nation:		Description	
Discharge Lo	ocation		Receiving Water Station	Volume
Arroyo La	as Positas		TFC-R003	419,797
6. Comments:				
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature:				

# Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Per	riod: Business Mon	th August	Year <u>2014</u>			
2. Dates (in bol	2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged					
August	August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15					
Total month	ly time facility ope	rated (hours):	<u>672</u>			
3. Monthly Com	pliance Data:					
Influent pH: Effluent pH:		ormed (m/d/y):	$   \begin{array}{r}     \underline{08-01-2014} \\     \underline{7.0} \\     \underline{7.0} \\     \underline{22}   \end{array} $			
4. Wellfield Dat	a:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gp		(91		
W-359	340,100	8.4				
Total:	340,100	8.4	3			
5. Discharge Infe	ormation:					
Discharge	Location		Receiving Water Station	<u>Volume</u>		
Arroyo	Las Positas		TFC-R003	_340,100		
6. Comments:						
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature:						

### Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Period: Business Month September Year 2014 2. Dates (in **bold** and underline ) treated ground water was discharged August 29 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 Total monthly time facility operated (hours): <u>696</u> 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 09-02-2014 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source Volume(gal) Flow Rate(gpm) 8.4 W-359 353,949 Total: 353,949 8.4 5. Discharge Information: Receiving Discharge Location Water Station Volume Arroyo Las Positas TFC-R003 353,949 6. Comments: Facility was shutdown on 09-18-2014 at 09:26 in support of the Lake Haussmann drainage channel maintenance, invasive species control project. Facility was restarted on 09-22-2014 at 11:41. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: \_\_\_\_\_Date: 10-07-2014

# Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month July Year 2014

2. Dates (in bold and underline ) treated ground water was discharged

June July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 792

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>07-14-2014</u>
Influent pH:	<u>7.5</u>
Effluent pH:	7.5
Effluent Temperature (°C):	23.2

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1516	476,864	10.1
W-1518	11,650	0.2
W-1520	34,180	0.8
W-1522	22,770	0.5
Total:	545,464	11.6

5. Discharge Information:

	Receiving	
Discharge Location	Water Station V	
Arroyo Las Positas	TFC-R003	545,464

6. Comments:

NA

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-13-2014

# Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 396

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>08-08-2014</u>
Influent pH:	7.4
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	21.9

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1516	244,404	10.1
W-1518	5,431	0.2
W-1520	17,959	0.8
W-1522	17,095	0.9
Total:	284,889	12.1

5. Discharge Information:

	Receiving		
Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	284,889	

6. Comments:

Facility was shutdown on 08-14-2014 at 08:45. Facility was restarted on 08-27-2014 at 15:19. The facility did not run for a number of days while the Control System Field Test (Gold System) and interlock tests were being performed.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-12-2014

## Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): \_650

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1516	382,535	10.6
W-1518	8,788	0.2
W-1520	38,120	1.1
W-1522	45,459	1.8
Total:	474,902	13.7

5. Discharge Information:

Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	474,902

6. Comments:

Facility shutdown at 15:21 on 09-04-2014 due to W-1516 low flow. Facility was restarted at 14:22 on 09-05-2014. Facility was shutdown at 15:35 on 09-18-2014 for FY14 Drainage Channel Maintenance and Invasive Species Control Schedule. Facility was restarted at 10:50 on 09-22-2014. W-1518, W-1520, and W-1522 shutdown at different times during the month due to low flow.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014

# Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period	d: Business Mon	th <u>July</u> Year	2014	
2. Dates (in <b>bold</b> a	and <u>underline</u> )	treated ground was	ter was discharged	
July <u>0</u>	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$     \begin{array}{c cccccccccccccccccccccccccccccccc$	<u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u>	13 14 15 28 29 30
Total monthly	time facility ope	erated (hours):	785	
3. Monthly Compl	iance Data:			
Date complian Influent pH: Effluent pH: Effluent Temp	ce sampling performance (°C):	formed (m/d/y):	7.5 7.5 23.2	
4. Wellfield Data:				
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-292 W-305	283,210 656,540	6.1 14.0		
Total:	939,750	<u>20.1</u>		
5. Discharge Infor-			Receiving Water Station	Volume
_Arroyo La	as Positas		TFC-R003	939,750
6. Comments: NA				
7. I certify that the	information in t	his report, to the b	est of my knowled	ge, is true and correct
Operator Signature: Date: 08-13-2014				

# Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period: Business Month August Year 2014 2. Dates (in **bold** and underline ) treated ground water was discharged July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 August 16 17 18 19 20 21 22 23 24 25 26 27 28 29 Total monthly time facility operated (hours): 657 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 08-08-2014 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Volume(gal) Flow Rate(gpm) Source W-292 237,986 6.1 W-305 552,047 14.0 Total: 790,033 20.1 5. Discharge Information: Receiving Water Station Volume Discharge Location Arroyo Las Positas TFC-R003 790,033 6. Comments: Facility was shutdown on 08-27-2014 at 08:47 in preparation for Control System Field Test (Gold System). 7. I certify that the information in this report, to the best of my knowledge, is true and correct. \_\_\_\_ Date: 09-12-2014 Operator Signature:

# Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): 472

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): 09-17-2014Influent pH: 7.4Effluent pH: 7.5Effluent Temperature (°C): 21.5

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-292	171,918	6.1		
W-305	337,245	14.0		
Total:	509,163	20.1		

5. Discharge Information:

Discharge Location Receiving
Water Station Volume

Arroyo Las Positas TFC-R003 509,163

6. Comments:

The facility did not run for several days until several software issues were resolved. Facility was restarted at 10:36 on 09-04-2014. Facility was shutdown at 11:14 on 09-22-2014 for the FY14 Drainage Channel Maintenance and Invasive Species Control Schedule. Facility was restarted at 10:40 on 09-29-2014. W-305 shut down several times during the month due to low flow issues.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014

### Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

- 1. Reporting Period: Business Month \_\_July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

June June July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>Γ(°F)</u>	of Op.
W-1903	31,906	0.0	0	0	568
W-1909	0	0.0	0	0	0
W-2305	0	0.0	0	0	0
W-543-001	0	0.0	0	0	0
W-543-003	813,150	0.0	0	0	568
W-543-1908	0	0.0	0	0	0
Total:	845,056	0.0			

#### 4. Comments:

VES 16 was discovered shutdown 7/21/14 due catastrophic motor failure that occurred 05:15 7/20/14. As a result, BAAQMD compliance measurements for July were not recorded.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-26-201

#### Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

- 1. Reporting Period: Business Month August Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

3. Wellfield Data:

	Monthly	Instantaneous		H	Iours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>Γ(°F)</u> ο	f Op.
W-1903	0	0.0	0	0	0
W-1909	0	0.0	0	0	0
W-2305	0	0.0	0	0	0
W-543-001	0	0.0	0	0	0
W-543-003	0	0.0	0	0	0
W-543-1908	. 0	0.0	0	0	0
Total:	0	0.0			

#### 4. Comments:

VES 16 was discovered shutdown 7/21/14 due catastrophic motor failure that occurred 05:15 7/20/14. Facility did not operate in reporting month.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

#### Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

- 1. Reporting Period: Business Month September Year 2014
- 2. Dates (in bold and underline ) treatment facility operated

August 29 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **24** 25 26 27 28 **29 30** 

3. Wellfield Data:

	Monthly	Instantaneous		]	Hours
Source	Volume(cu. ft	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u> (	of Op.
W-1903	375	1.7	-17	82	13
W-1909	44	0.0	0	0	1
W-2305	10	0.0	0	0	1
W-543-001	16	0.0	0	0	0
W-543-003	970	0.0	0	0	13
W-543-1908	10	0.0	0	0	0
Total:	1,425	1.7			

#### 4. Comments:

Facility discovered shutdown 7-21-14 due to failed blower motor. 15hp Nash Elmo unit was removed and replaced with 2.2hp Nash Elmo unit 9-5-14, facility operations commenced 9-24-14 at 13:55. Facility was shutdown on 09-24-2014 at 15:17. Facility was restarted on 09-29-2014 at 12:36. Facility was shutdown on 09-29-2014 at 13:50. Facility was restarted on 09-30-2014 at 11:15. Quarterly vapor samples collected from idle and operating extraction wells 9-24-14 and 9-30-14.

5. I certify that the in	formation in this i	report, to the best	of my knowledge, is	s true and correct
(	$\leq_{\Delta}$	200	Date: 10-08-2	
Operator Signature:	Closu	Therna.	Date: 10-08-2	2014

#### Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

 June
 27
 28
 29
 30

 July
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. f	t) Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-2105	33,602	1.5	-17.54	60	365
W-ETS-2008	6A 0	0.0	0	0	0
W-ETS-2008	B 564,700	13.5	-7.37	60	677
W-ETS-2009	0	0.0	0	0	0
W-ETS-2010	A 0	0.0	0	0	0
W-ETS-2010	B 0	0.0	0	0	0
Total:	598,302	15.0			

#### 4. Comments:

Facility was shutdown on 07-09-2014 at 10:00 for system software upgrade. Facility was restarted and soil vapor extraction from W-2105 activated 7/16/14 at 10:45.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-28-2014

#### Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month August Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-2105	56,091	1.6	-17.9	70	598
W-ETS-2008	A 0	0.0	0	0	0
W-ETS-2008	B 443,527	12.0	-9.45	70	598
W-ETS-2009	0	0.0	0	0	0
W-ETS-2010	A 0	0.0	0	0	0
W-ETS-2010	B 0	0.0	0	0	0
Total:	499,618	13.5	- A HAYON		

#### 4. Comments:

Facility was shutdown on 08-01-2014 at 07:35 due to low discharge separator level. Operations resumed 08-04-2014 at 15:21. Facility hours of operation and well field cumulative volumes entered on this report have been adjusted due to facility totalizers accumulating while offline.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 09-08-2014

## Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month September Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

 August
 29
 30
 31

 September
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft	Flow Rate(scfm)	P(in. Hg)	$\underline{T(^{o}F)}$	of Op.
W-2105	74,010	1.6	-19.14	58	796
W-ETS-2008	A 12	0.0	0	0	0
W-ETS-2008	B 553,037	11.4	-11.14	58	796
W-ETS-2009	41	0.0	0	0	0
W-ETS-2010	A 8	0.0	0	0	0
W-ETS-2010	B 16	0.0	0	0	0
Total:	627,124	13.0			

#### 4. Comments:

Quarterly vapor samples collected from operating and idle extraction wells 9-3-14.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

## Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Period:	Business Mon	th <u>July</u> Year	<u>2014</u>				
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged							
July <u>01</u> <u>16</u>	$\frac{02}{17} \frac{03}{18} \frac{04}{19}$	05     06     07     08       20     21     22     23	$\frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{27}$	13 14 15 28 29 30 31			
Total monthly time facility operated (hours):744							
3. Monthly Complian	3. Monthly Compliance Data:						
Date compliance sampling performed (m/d/y): 07-01-2014 Influent pH: 7.0 Effluent pH: 7.0 Effluent Temperature (°C): 22.4							
4. Wellfield Data:							
Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)					
W-1111	201,685	4.5					
Total:	201,685	4.5	<del></del>				
5. Discharge Informa	ation:						
Discharge Loc	ation		Receiving Water Station	<u>Volume</u>			
Arroyo Seco	2		TFG-ASW	201,685			
6. Comments:							
7. I certify that the information in this report, to the best of my knowledge, is true and correct Operator Signature:  Date: 08-01-2014							

# Land Observation Report date: TFG-ASW - Arroyo Seco

1.	Reporting Period: Business Month <u>July</u> Year <u>2014</u>					
2.	Date compliance sampling performed <u>07-02-2014</u>					
3.	Weather Conditions:					
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	21.03 0.00 6/ SW				
4.	Receiving Data:					
	Sample         pH         Temperature (C)           Receiving Water         7.0         22.9					
5.	Land Observations, as "Yes" or "No", for reporting r	month:				
	Visual Observations	<u>Effluent</u>	Receiving Water			
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	No No No N/A			
6.	Comments:					
7.	I certify that the information in this report, to the bes	t of my knowledge, i	s true and correct.			
	Operator Signature: Mull Cler	Date: <b>09-0</b>	2-2014			
		63				
		8				

## Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Per	riod: Business Mon	th August	Year <u>2014</u>			
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged						
August	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{05}{20}$ $\frac{06}{21}$ $\frac{07}{22}$ $\frac{08}{23}$	$\frac{3}{3} \frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{12}{27}$	$\frac{2}{2} \frac{13}{28} \frac{14}{29} \frac{15}{29}$		
Total month	ly time facility ope	erated (hours):	673			
3. Monthly Com	pliance Data:					
Influent pH: Effluent pH:		formed (m/d/y):	$   \begin{array}{r}     \underline{08-08-2014} \\     \underline{7.0} \\     \underline{7.0} \\     \underline{22.3}   \end{array} $			
4. Wellfield Data	a:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm	<u>1)</u>			
W-1111	177,708	4.5				
Total:	177,708	4.5				
5. Discharge Info	ormation:					
Discharge	Location		Receiving Water Station	Volume		
Arroyo	Seco		TFG-ASW	<u>177,708</u>		
6. Comments:						
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature: Date: 09-02-2014						

# Land Observation Report date: TFG-ASW - Arroyo Seco

1.	. Reporting Period: Business Month August Year 2014					
2.	Date compliance sampling performed <u>08-08-2014</u>					
3.	Weather Conditions:					
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	21.2 0.00 5/ SW				
4.	Receiving Data:					
	Sample Location pH Temperature (C)  Receiving Water N/M N/M					
5.	Land Observations, as "Yes" or "No", for reporting r	month:				
	<u>Visual Observations</u>	Effluent	Receiving Water			
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	No No No N/A			
6.	Comments:					
7.	7. I certify that the information in this report, to the best of my knowledge, is true and correct.					
	Operator Signature:	Date: 10-2	2-2014			

## Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Per	iod: Business Mon	th September	Y ear <u>2014</u>			
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged						
August September	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{05}{20}$ $\frac{06}{21}$ $\frac{07}{22}$ $\frac{08}{23}$				
Total month	ly time facility ope	erated (hours):	<u> 154</u>			
3. Monthly Com	pliance Data:					
Date compliance sampling performed (m/d/y):  Influent pH:  Effluent pH:  Effluent Temperature (°C):  09-03-2014  7.0  22.2						
4. Wellfield Data	a:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)				
W-1111	163,178	4.6				
Total:	163,178	4.6	<del></del>			
5. Discharge Info			Receiving			
Discharge	Location		Water Station	Volume		
Arroyo	Seco		TFG-ASW	163,178		
6. Comments:						
7. I certify that the information in this report, to the best of my knowledge, is true and correct.						
Operator Signatu	ire:	M	Date: 1	0-01-2014		

# Land Observation Report date: TFG-ASW - Arroyo Seco

1.	. Reporting Period: Business Month September Year 2014				
2.	Date compliance sampling performed <u>09-03-2014</u>				
3.	Weather Conditions:				
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	21.92 0.00 5/ SW			
4.	Receiving Data:				
	Sample         pH         Temperature (C)           Receiving Water         N/M         N/M				
5.	Land Observations, as "Yes" or "No", for reporting r	month:			
	<u>Visual Observations</u>	Effluent	Receiving Water		
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>N/A</u>		
6.	Comments:				
7.	I certify that the information in this report, to the best Operator Signature:	et of my knowledge, i			

## Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Per	iod: Business Mon	th <u>July</u> Yo	ear <u>2014</u>	
2. Dates (in bole	d and <u>underline</u> )	treated ground	water was discharge	ed
July	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{05}{20}  \frac{06}{21}  \frac{07}{22}  \frac{0}{22}$	$\frac{08}{23}  \frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{25}$	$\frac{2}{7} \frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{11}{31}$
Total month	ly time facility ope	erated (hours):	<u>748</u>	
3. Monthly Com	pliance Data:			
Influent pH: Effluent pH: Effluent Ter	nperature (°C):	formed (m/d/y)	7.0 7.0 22.7	
4. Wellfield Data	a:			
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gp		
W-1806 W-1807	46,094 190,481	1.0 4.5		
Total:	236,575	<u>5.5</u>		
5. Discharge Inf <u>Discharge</u>		Receiving Water Station	Volume	
Arroyo	Las Positas		TFC-R003	236,575
6. Comments:				
7. I certify that t	Vrul	his report, to th		edge, is true and correct

## Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Period: I	Business Mo	nth August Y	ear <u>2014</u>								
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged											
August <u>01</u> <u>16</u>	$\frac{02}{17}$ $\frac{03}{18}$ $\frac{04}{19}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{13}{28} \frac{14}{29} \frac{15}{29}$							
Total monthly time facility operated (hours):											
3. Monthly Compliance Data:											
Date compliance sampling performed (m/d/y):											
4. Wellfield Data:											
	Monthly Molume(gal)	Instantaneous Flow Rate(gpm)									
W-1806 W-1807	34,129 170,338	0.8 4.0									
Total:	204,467	4.8									
5. Discharge Informat	ion:		ъ								
Discharge Loca	tion		Receiving Water Station	Volume							
_Arroyo Las F	Positas		TFC-R003	204,467							
6. Comments:											
7. I certify that the information in this report, to the best of my knowledge, is true and correct.  Operator Signature: Date: 09-02-2014											

#### Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Period: Business Month September Year 2014 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged August September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 Total monthly time facility operated (hours): \_609 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 09-03-2014 Influent pH: 7.0 Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Volume(gal) Source Flow Rate(gpm) W-1806 28,336 0.8 W-1807 138,968 4.0 167,304 Total: 4.8 5. Discharge Information: Receiving Volume Discharge Location Water Station Arroyo Las Positas TFC-R003 167,304 6. Comments: System secure from 9/22/14 to 9/29/14 for FY 14 Drainage Channel Maintenance and Invasive Species Control work. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: \_\_\_\_ Date: 10-01-2014

# Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Perio	od: Business Mon	th <u>July</u> Year	2014	
2. Dates (in bold	and <u>underline</u> )	treated ground wat	ter was discharged	i
	28     29     30       01     02     03     04       16     17     18     19	05     06     07     08       20     21     22     23	09 10 11 12 24 25 26 27	$\frac{13}{28} \frac{14}{29} \frac{15}{30}$
Total monthly	y time facility ope	rated (hours): _8	<u>302</u>	
3. Monthly Comp	oliance Data:			
Influent pH: Effluent pH:	nce sampling perf	Formed (m/d/y):	07-16-2014 7.4 7.5 22.8	
4. Wellfield Data	:			
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-1309 W-1310	110 418,450	4.5 8.9		
Total:	418,560	13.4	name and and	
5. Discharge Info	rmation:		Receiving	
Discharge l	Location		Water Station	Volume
Arroyo I	Las Positas		TFC-R003	418,560
6. Comments: NA				
7. I certify that th	e information in t	his report, to the be	est of my knowled	dge, is true and correct
Operator Signatur	re: BILL	RIL	Date: 0	8-13-2014

## Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Perio	d: Business Mon	th August Ye	ear <u>2014</u>		
2. Dates (in bold	and <u>underline</u> )	treated ground was	ter was discharged	I	
August (	31       01     02     03     04       16     17     18     19	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{27}$	13 14 15 28 29	
Total monthly	time facility ope	erated (hours):	725		
3. Monthly Comp	liance Data:				
Influent pH: Effluent pH:	nce sampling performance sampling performance (°C):	formed (m/d/y):	$   \begin{array}{r}     \underline{08-08-2014} \\     \underline{7.4} \\     \underline{7.5} \\     \underline{22.8}   \end{array} $		
4. Wellfield Data:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)			
W-1309 W-1310	0 381,424	0.0 8.9			
Total:	381,424	8.9			
5. Discharge Info	mation:		Dansiving		
Discharge I	_ocation		Receiving Water Station	Volume	
Arroyo L	as Positas		TFC-R003	381,424	
6. Comments: NA					
7. I certify that the	e information in t	his report, to the b	est of my knowled	lge, is true and con	rrect
Operator Signatur	re: Bully	Edil	Date: 09	D-12-2014	

## Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): <u>582</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-16-2014
Influent pH:	7.4
Effluent pH:	7.5
Effluent Temperature (°C):	22.4

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)				
W-1309	0	0.0				
W-1310	303,599	8.7				
Total:	303,599	8.7				

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	303,599

6. Comments:

Facility was shutdown at 11:06 on 09-22-2014 for Fy14 Drainage Channel Maintenance and Invasive Species Control Schedule. The facility could be started on 09/29 - 09/30 due to a bad discharge pump.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014

## Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Period: Business Month	July Year 2014										
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged											
July $\frac{01}{16} \frac{02}{17} \frac{03}{18} \frac{04}{19} \frac{0}{2}$	05     06     07     08     09     10     11     12     13     14     15       00     21     22     23     24     25     26     27     28     29     30     31										
Total monthly time facility opera	ated (hours):										
3. Monthly Compliance Data:											
Date compliance sampling performed (m/d/y): $07-01-2014$ Influent pH: $7.0$ Effluent pH: $7.0$ Effluent Temperature (°C): $22.8$											
4. Wellfield Data:											
	Instantaneous Flow Rate(gpm)										
W-1801 278,592	6.1										
Total: <u>278,592</u>	6.1										
5. Discharge Information:	Description										
Discharge Location	Receiving Water Station Volume										
Arroyo Las Positas	TFC-R003 278,592										
6. Comments:											
7. I certify that the information in the Operator Signature:	is report, to the best of my knowledge, is true and correct Date: 08-01-2014										

## Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Period	: Business Mon	th <u>August</u> Ye	ear <u>2014</u>							
2. Dates (in <b>bold</b> as	nd <u>underline</u> )	treated ground wat	ter was discharged	l						
August <u>01</u>	<u>02</u> <u>03</u> <u>04</u> <u>19</u>	$\frac{05}{20}  \frac{06}{21}  \frac{07}{22}  \frac{08}{23}$	$\frac{09}{24}  \frac{10}{25}  \frac{11}{26}  \frac{12}{27}$	$\frac{13}{28} \frac{14}{29} \frac{15}{29}$						
Total monthly t	time facility ope	rated (hours): 6	<u> </u>							
3. Monthly Complia	ance Data:									
Date compliance sampling performed (m/d/y):										
4. Wellfield Data:										
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)								
W-1801	251,439	6.1								
Total:	251,439	6.1	3							
5. Discharge Inform	nation:		Receiving							
Discharge Lo	ocation		Water Station	Volume						
_Arroyo La	s Positas		TFC-R003	251,439						
6. Comments:										
7. I certify that the Operator Signature	Mund	his report, to the bo		lge, is true and correct  -02-2014						

## Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Period: Bu	siness Month Se	ptember	Year <u>2014</u>							
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged										
August $30 \ 01 \ 02 \ 16 \ 17$		<b>07 08 23</b>	09     10     11     12       24     25     26     27	$\frac{13}{28}  \frac{14}{29}  \frac{15}{30}$						
Total monthly time	facility operated (h	ours):	604							
3. Monthly Compliance	Data:									
Date compliance sampling performed (m/d/y): $\frac{\textbf{09-03-2014}}{\textbf{Influent pH:}}$ Effluent pH: $\frac{\textbf{7.0}}{\textbf{7.0}}$ Effluent Temperature (°C): $\frac{\textbf{22.4}}{\textbf{22.4}}$										
4. Wellfield Data:										
		aneous Rate(gpm)	(							
W-1801	208,081	5.8								
Total:	208,081	<u>5.8</u>								
5. Discharge Informatio	n:									
Discharge Location	<u>on</u>		Receiving Water Station	Volume						
Arroyo Las Po	sitas		TFC-R003	208,081						
<ol> <li>Comments:         System secure from 9/22/14 to 9/29/14 for FY 14 Drainage Channel Maintenance and Invasive Species Control work.     </li> </ol>										
7. I certify that the infor	mation in this repo	rt, to the b	est of my knowled	dge, is true and correct.						
Operator Signature:	welle		Date: <u>10</u>	0-01-2014						

## Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Perio	od: Bus	iness	Mor	nth	Ju	<u>ly</u>	Year	<u>201</u>	<u>4</u>						
2. Dates (in <b>bold</b>	and <u>u</u>	nderli	ne )	trea	ted g	roun	d wa	ıter v	vas d	ischa	argeo	d			
July	30 01 02 16 17			05 20				09 24	10 25	11 26	12 27	13 28	14 29	15 30	
Total monthly	y time	acilit	у ор	erate	d (ho	ours)	:	<u>0</u>							
3. Monthly Comp	oliance	Data:													
Date complia Influent pH: Effluent pH: Effluent Tem		•	•	form	ned (	m/d/	y): <u>N</u>	lot N	Ieas	ured					
4. Wellfield Data	:														
Source		nthly ume(	gal)			aneo (ate()									
W-1410			0			0.0	0								
Total:	<del>,,,</del>		0			0.0	0								
5. Discharge Info	rmatio	1:						Dec	ceivi	nα					
Discharge l	Locatio	<u>n</u>								tatio	<u>on</u>		Volu	me	
Arroyo I	Las Pos	<u>sitas</u>						<u>_T</u>	FC-	R00	3			_0	
6. Comments: This treatment in the facility waste gene	ity influ	ient.	The	facil	ity w										ties
7. I certify that th	e infor	matio	n in	this 1	repoi	t, to	the b	est o	of my	/ knc	wle	dge,	is tru	ie and	d correct
Operator Signatu	re:(	16	u	Fan	Jag.	nd )	1			. Dat	te: <u>0′</u>	7-31	<u>-201</u>	<u>4</u>	

## Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Per	iod:	Busi	ness	Mor	ıth	<u>A</u> u	gust	<u> Y</u>	ear <u>2</u>	2014						
2. Dates (in bold	d and	d <u>un</u>	derli	<u>ne</u> )	trea	ted g	roun	d wa	iter v	vas d	isch	argeo	d			
July August	31 01 16	02 17	03 18	04 19		06 21	07 22		09 24	10 25	11 26	12 27	13 28	14	15	
Total month	ly tir	ne fa	cilit	y op	erate	d (ho	ours)	: _	<u>0</u>							
3. Monthly Com	pliar	ісе Г	Data:													
Date compliation Influent pH: Effluent pH: Effluent Ten			-	• • • • • • • • • • • • • • • • • • • •	form	ied (i	m/d/	y): <u>N</u>	lot M	<u>Ieas</u>	ured					
4. Wellfield Data	a:															
Source	Monthly Instantaneous Source Volume(gal) Flow Rate(gpm)															
W-1410				0			0.0	0								
Total:				0			0.0	<u> </u>		55						
5. Discharge Info	orma	ation	:						Do	ceivi	n 0					
Discharge	Loc	atior	<u>1</u>								tatio	<u>n</u>		Volu	<u>me</u>	
Arroyo	Las	Posi	<u>tas</u>						<u>_T</u>	FC-	R00	3		9	_0	
6. Comments: This treatr in the facil waste gene	lity i	nflue	ent.	The	facil	ity w										es
7. I certify that the	he in	form	natio	n in 1	this r	epor	t, to	the b	est c	of my	/ knc	wled	dge,	is tru	e and	correct
Operator Signatu	ıre: _		Sh	u	K	WZ	Jer	.,,	•		. Dat	e: <u>08</u>	8-29-	·2014	<u>I</u>	

# Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>																
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged																
August September		02	30 31 02 03 04 05 06 07 08 09 10 11 12 13 14 15 7 18 19 20 21 22 23 24 25 26 27 28 29 30													
Total month	Total monthly time facility operated (hours): _0															
3. Monthly Compliance Data:																
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Data:																
Source			Monthly Instantaneous  Volume(gal) Flow Rate(gpm)													
W-1410				0			0.0	)								
Total:	-			<u>0</u>			0.0	)								
5. Discharge Info	orma	tion:							Das	! ! .						
Discharge	Loca	ation								ter S	ng tatio	<u>n</u>	`	/olu	<u>ne</u>	
Arroyo	Las	Posi	<u>tas</u>						<u>T</u>	FC-	R003	3		,	0	
5. Comments: This treatment facility was shut down on 2-20-08 due to elevated tritium activities in the facility influent. The facility will be restarted once a solution for mixed waste generation is implemented.																
7. I certify that the information in this report, to the best of my knowledge, is true and correct																
Operator Signature: Date: 10-03-2014																

#### Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 737

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1615	42	0.0
W-518-1913	0	0.0
W-518-1914	0	0.0
W-518-1915	8	0.0
SVB-518-201	0	0.0
SVB-518-204	0	0.0
Total:	<u>50</u>	0.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
West Perimeter Drainage Channel	TFB-R002	_50

Dagairing

6. Comments:

VES 19 and HDTANK operations secured 7-22-14 at 08:05 for GAC replacement. Facility operations resumed 7-22 at 15:20. Groundwater from this facility is transferred to and treated at TFB Main.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_ Date: 08-28-2014

#### Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 630

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

0	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1615	30	0.0
W-518-1913	0	0.0
W-518-1914	0	0.0
W-518-1915	5	0.0
SVB-518-201	0	0.0
SVB-518-204	0	0.0
Total:	35	0.0

5. Discharge Information:

The state of the s	Receiving	
Discharge Location	Water Station	Volume
West Perimeter Drainage Channel	TFB-R002	35

#### 6. Comments:

Facility shutdown 8-25-14 at 16:00 allow groundwater levels in extraction wells to increase prior collection quarterly groundwater samples. Facility was restarted 8-27-14 at 11:20. Groundwater from this facility is transferred to and treated at TFB Main.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-04-2014

# Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31

September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

10 17 10 10 20 21 22 20 21 22 20 21

Total monthly time facility operated (hours): \_598

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1615	29	0.0
W-518-1913	0	0.0
W-518-1914	0	0.0
W-518-1915	5	0.0
SVB-518-201	0	0.0
SVB-518-204	0	0.0
Total:	34	0.0

5. Discharge Information:

Discharge Location	Water Station	Volume
West Perimeter Drainage Channel	TFB-R002	_34

6. Comments:

Air supply to pneumatic groundwater pumps offline 8/29/14 to 9-5-14 due to tripped circuit breaker.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_ Date: 10-08-2014

# Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1. Reporting Per	iod:	Busi	ness	Mon	ith	Ju	ly	Year	201	4					
2. Dates (in bol	d an	d <u>un</u>	derli	ne )	trea	ted g	roun	ıd wa	iter v	vas d	ischa	argeo	h		
June July	01							08 23				12 27	13 28		15 30
Total month	ly ti	me fa	acilit	у оре	erate	d (ho	ours)	: _	0						
3. Monthly Com	3. Monthly Compliance Data:														
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):															
4. Wellfield Data:															
Source			Monthly Instantaneous Volume(gal) Flow Rate(gpm)												
W-1302-2	2			0			0.0	0							
Total:				0			0.0	0							
5. Discharge Info	orma	ation:	:						_						
Discharge	Loc	ation	<u>1</u>							ceivii ter S	-	<u>n</u>	,	Volu	<u>me</u>
CRD-1	inje	ction								V-13	02-1			9	_0
<ol> <li>Comments:         The treatment facility was shut down on 7/27/07. The facility will be restarted once a solution for mixed waste generation is implemented.     </li> </ol>															
7. I certify that the information in this report, to the best of my knowledge, is true and correct															
Operator Signature: Belle Bull Date: 08-13-2014															

## Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1. Reporting Per	iod:	Busi	ness	Mor	nth	Au	igust	<u>Y</u>	ear 2	014						
2. Dates (in <b>bold</b> and <u>underline</u> ) treated ground water was discharged																
July August	31 01 16					06 21			09 24	10 25	11 26	12 27	13 28		15	
Total month	ly tir	me fa	acilit	у ор	erate	d (ho	ours)	: _	0							
3. Monthly Com	3. Monthly Compliance Data:															
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Data:																
Source		Monthly Instantaneous Volume(gal) Flow Rate(gpm)														
W-1302-2	2			0			0.0	0								
Total:		Augusta Salah Ada		0			0.0	0								
5. Discharge Info	orma	ation	:						Day	ceivi	na					
Discharge	Loc	atior	1							ter S	-	<u>n</u>		Volu	me	
CRD-1	injec	ction							V	V-13	02-1			W.	_0	
<ol> <li>Comments:         The treatment facility was shut down on 7/27/07. The facility will be restarted once a solution for mixed waste generation is implemented.     </li> </ol>																
7. I certify that the information in this report, to the best of my knowledge, is true and correct.																
Operator Signature: Bull Date: 09-12-2014																

# Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1. Reporting Per	iod:	Busi	ness	Mor	nth	Se	pten	ber	. Ye	ar <u>20</u>	014					
2. Dates (in bole	d and	d <u>un</u>	derli	ne )	trea	ted g	roun	d wa	iter v	vas d	isch	argeo	1			
August September		31 02 17											13 28			
Total month	ly ti	me fa	acilit	у ор	erate	d (ho	ours)	: _	0							
3. Monthly Com	plia	nce I	Data:													
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Data:																
Source			Monthly Instantaneous Volume(gal) Flow Rate(gpm)													
W-1302-2	2			0			0.0	0								
Total:				0			0.0	0								
5. Discharge Inf	orma	ation	:						D <sub>O</sub>	ceivi	no					
Discharge	Loc	ation	1								tatio	<u>n</u>		Volu	<u>me</u>	
CRD-1	inje	ction	Ī						_v	V-13	02-1				_0	
6. Comments: The treatment facility was shut down on 7/27/07. The facility will be restarted once a solution for mixed waste generation is implemented.																
7. I certify that the information in this report, to the best of my knowledge, is true and correct.																
Operator Signature: Bell Hull Date: 10-20-2014																

#### Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month July Year 2014 2. Dates (in **bold** and underline ) treated ground water was discharged July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Total monthly time facility operated (hours): 0 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source Volume(gal) Flow Rate(gpm) W-1108 0 0.0 W-1415 0 0.0 Total: 0 0.05. Discharge Information: Receiving Discharge Location Water Station Volume **TFC-R003** Arroyo Las Positas 0 6. Comments: Facility did not operate, well 1108 still down. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: auth/www. \_\_\_\_\_ Date: **08-04-2014** 

#### Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month <u>August</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

Total monthly time facility operated (hours): \_2

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	08-28-2014
Influent pH:	7.5
Effluent pH:	7.5
Effluent Temperature (°C):	23.5

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)				
W-1108	348	2.9				
W-1415	0	0.0				
Total:	348	2.9				

5. Discharge Information:

	Receiving			
Discharge Location	Water Station	Volume		
Arroyo Las Positas	TFC-R003	348		

6. Comments:

Well 1108 was off line so facility could not operate in August.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_\_ Date: <u>09-08-2014</u>

#### Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month <u>September</u> Year <u>2014</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

 August
 29
 30
 31

 September
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30

Total monthly time facility operated (hours): <u>683</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	09-04-2014
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	23.2

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1108	102,125	2.3
W-1415	0	0.0
Total:	102,125	2.3

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	102,125

6. Comments:

Facility was down 9/20, 9/21, and 9/23, and part of the day 8/29 due to due low flow alarms, well 1108 over load tripping. Overload has been adjusted.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_ Date: 10-01-2014

#### Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

June	28	29	30												
July	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

Total monthly time facility operated (hours): \_0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1604	0	0.0
W-1605	0	0.0
W-1608	0	0.0
W-1609	0	0.0
Total:	0	0.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
CRD-2 injection	W-1610	_0

6. Comments:

The treatment facility was shut down on 8/31/07. The facility will be restarted once a solution for mixed waste generation is implemented.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-13-2014

## Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

July 31 August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): \_0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1604	0	0.0
W-1605	0	0.0
W-1608	0	0.0
W-1609	0	0.0
Total:	0	0.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
CRD-2 injection	W-1610	0

6. Comments:

The treatment facility was shut down on 8/31/07. The facility will be restarted once a solution for mixed waste generation is implemented.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-12-2014

## Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Total monthly time facility operated (hours): \_0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1604	0	0.0
W-1605	0	0.0
W-1608	0	0.0
W-1609	0	0.0
Total:	0	0.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
CRD-2 injection	W-1610	0

6. Comments:

The treatment facility was shut down on 8/31/07. The facility will be restarted once a solution for mixed waste generation is implemented.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014

#### Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

- 1. Reporting Period: Business Month <u>July</u> Year <u>2014</u>
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

June July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)	T(°F)	Hours of Op.
W-217	686,263	13.8	-2.11	74	837
W-514-2007A	. 0	0.0	0	0	0
W-514-2007B	457,732	9.2	-2.41	74	837
Total:	1,143,995	23.1			

- 4. Comments:
- 5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-28-2014

#### Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

3. Wellfield Data:

Source	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	Hours of Op.
W-217	548,999	13.5	-2.01	68	671
W-514-2007A		0.0	0	0	0
W-514-2007B	364,828	9.0	-2.29	68	671
Total:	913,827	22.5			

#### 4. Comments:

End month volumes for extraction wells were calculated from individual flow measurements, and not derived from facility totalizer values. Facility and wellfield monthly hours of operation entered on this report were acquired from TFRT due to malfunction of facility clock.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: 2 am Roma Date: 09-10-2014

#### Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

- 1. Reporting Period: Business Month September Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

3. Wellfield Data:

	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)		Hours of Op.
W-217	637,998	13.4	-2.04	75	791
W-514-2007A		0.0	0	0	0
W-514-2007B	430,518	9.0	-2.34	75	791
Total:	1,068,516	22.4			

4. Comments:

End month volumes for extraction wells were calculated from individual flow measurements, and not derived from facility totalizer values.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

- 1. Reporting Period: Business Month July Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

 June
 27
 28
 29
 30

 July
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-2204	0	0.0	0	0	0
W-2205	0	0.0	0	0	0
W-2207A	0	0.0	0	0	0
W-2207B	547,658	10.7	-4.2	70	838
W-2208A	0	0.0	0	0	0
W-2208B	417,093	8.1	-3.6	70	838
W-2206	0	0.0	0	0	0
Total:	964,751	18.8			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 08-26-2014

- 1. Reporting Period: Business Month August Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-2204	0	0.0	0	0	0
W-2205	0	0.0	0	0	0
W-2207A	0	0.0	0	0	0
W-2207B	435,992	7.9	-3.7	75	678
W-2208A	0	0.0	0	0	0
W-2208B	329,211	10.5	-4.2	75	678
W-2206	0	0.0	0	0	0
Total:	765,203	18.4		-	

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Samu Mama Date: 09-08-2014

1. Reporting Period: Business Month September Year 2014

2. Dates (in **bold** and underline ) treatment facility operated

August September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-2204	0	0.0	0	0	0
W-2205	0	0.0	0	0	0
W-2206	0	0.0	0	0	0
W-2207A	19	0.0	0	0	0
W-2207B	517,116	11.8	-5	64	772
W-2208A	26	0.0	0	0	0
W-2208B	401,376	9.3	-4.4	64	772
Total:	918,537	21.1			

#### 4. Comments:

Facility was shutdown on 09-10-2014 at 15:10, cause of shutdown unknown. Facility was restarted on 09-11-2014 at 07:25. Blower speed/frequency controller was changed from manual to auto mode to optimize system performance and increase vapor flow from extraction wells. Quarterly vapor samples taken from idle and operating extraction wells 9-15-14.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-07-2014

1. Reporting Period: Business Month July Week: 1 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

<u>28</u> <u>29</u> <u>30</u> June 01 02 03 July

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	•	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	34,034	4.0	-16	60	142
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	12,763	1.5	-19	60	142
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	46,797	5.5			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

am Thomas Date: 08-26-2014 Operator Signature:

1. Reporting Period: Business Month July Week: 2 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

July

04 05 06 07 08 09 10 11

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source		Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	47,362	4.1	-15.5	59	193
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	18,483	1.6	-19	59	193
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	65,845	5.7			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: <u>08-26-2014</u>

1. Reporting Period: Business Month July Week: 3 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

July

<u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	41,407	4.1	-15.5	66	168
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	16,159	1.6	-19	66	168
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	57,566	<u>5.7</u>			

4. Comments:

5. I certify that the information in this report	t, to the best of my knowledge,	is true and correct.
--	---------------------------------	----------------------

1. Reporting Period: Business Month July Week: 4 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

July <u>19 20 21 22 23 24 25</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours	
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.	
W-1615	36,824	3.8	-16	88	162	
W-518-1913	0	0.0	0	0	0	
W-518-1914	0	0.0	0	0	0	
W-518-1915	14,536	1.5	-18.5	88	162	
SVB-518-201	0	0.0	0	0	0	
SVB-518-204	0	0.0	0	0	0	
Total:	51,360	5.3				W

4. Comments:

Facility was secured on 07-22-2014 at 08:05 upon discovery of concentration levels exceeding permit conditions at CF4I. Carbon filters 007 replaced with 011. Facility was restarted on 07-22-2014 at 15:20.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

1. Reporting Period: Business Month August Week: 1 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

July August 26 27 28 29 30 31

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	39,996	4.0	-15.5	70	167
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	15,998	1.6	-18.4	70	167
SVB-518-201		0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	55,994	<u>5.6</u>			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Dane: 09-04-2014

1. Reporting Period: Business Month August Week: 2 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source		Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	42,354	4.2	-15	58	168
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	16,135	1.6	-18.5	58	168
SVB-518-201	50	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	58,489	5.8			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-04-2014

1. Reporting Period: Business Month August Week: 3 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August <u>09 10 11 12 13 14 15</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	1. The second se	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	41,825	4.1	-15.5	62	170
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	17,342	1.7	-18.5	62	170
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	59,167	5.8	10.00		

4. Comments:

5.	I certify that the information	in this report,	to the	best of my	knowledge,	, is true and	correct
		16	20 				

Operator Signature: Date: 09-04-2014

1. Reporting Period: Business Month August Week: 4 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	40,380	4.0	-15.5	74	168
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	17,162	1.7	-18.5	74	168
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	57,542	<u>5.7</u>			

4. Comments:

5. I certify that the information in this report, to the best of my	knowledge, is true and correct.
Sh. Along	
Operator Signature:	Date: <u>09-04-2014</u>

1. Reporting Period: Business Month August Week: 5 Year 2014

2. Dates (in bold and underline ) treatment facility operated

August 23 24 25 26 27 28 29

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source		Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	40,898	4.1	-15.5	60	166
W-518-1913	0	0.0	0	0	166
W-518-1914	0	0.0	0	0	166
W-518-1915	16,958	1.7	-18.5	60	166
SVB-518-201	0	0.0	0	0	166
SVB-518-204	0	0.0	0	0	166
Total:	57,856	5.8			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 09-04-2014

1. Reporting Period: Business Month September Week: 1 Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

August 30 31 September 01 02 03 04 05

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source		Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	38,532	3.8	-15.7	60	169
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	17,238	1.7	-19	60	169
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	55,770	<u>5.5</u>			

4. Comments:

Quarterly vapor samples collected from operating and idle extraction wells 9-3-14

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_\_ Date: 10-07-2014

- 1. Reporting Period: Business Month September Week: 2 Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

September <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	11.40	Flow Rate(scfm)	P(in. Hg)	$T(^{o}F)$	of Op.
W-1615	37,944	3.8	-15	63	166
W-518-1913	0	0.0	0	0	166
W-518-1914	0	0.0	0	0	166
W-518-1915	17,973	1.8	-18	63	166
SVB-518-201	0	0.0	0	0	166
SVB-518-204	0	0.0	0	0	166
Total:	55,917	5.6		810	

4. Comments:

5. I certify that the information in this report, to the best of	my knowledge, is true and correct.
Some	
Operator Signature:	Date: <u>10-07-2014</u>

- 1. Reporting Period: Business Month September Week: 3 Year 2014
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

September 13 14 15 16 17 18 19

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	41,350	4.1	-15	58	168
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	18,154	1.8	-18	58	168
SVB-518-201	. 0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	59,504	<u>5.9</u>			

4. Comments:

5. I certify that the information in this report	, to the best of my	knowledge, is true and correct
--	---------------------	--------------------------------

Operator Signature: \_\_\_\_\_\_ Date: 10-07-2014

1. Reporting Period: Business Month September Week: 4 Year 2014

2. Dates (in bold and underline ) treatment facility operated

September <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	36,949	3.6	-16	73	171
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	18,474	1.8	-18	73	171
SVB-518-201	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
Total:	55,423	<u>5.4</u>			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: \_\_\_\_\_\_ Date: 10-07-2014

1. Reporting Period: Business Month July Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

June 28 29 30 July 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source		Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2211	0	0.0	0	0	0
W-2212	0	0.0	0	0	0
W-ETS-507	0	0.0	0	0	0
SVI-ETS-504	. 0	0.0	0	0	0
W-2303	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
Total:	0	0.0			

4. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
VTF5475 Vapor Injection Well	SVI-ETS-505	0

5. Comments:

This treatment facility was shut down on 10-12-07 due to a FY2008 funding reduction. The facility will be restarted once a solution for mixed waste generation is implemented.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 08-25-2014

1. Reporting Period: Business Month August Year 2014

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

July 31 August 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	Γ(°F)	of Op.
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2211	0	0.0	0	0	0
W-2212	0	0.0	0	0	0
W-ETS-507	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
W-2303	0	0.0	0	0	0
SVI-ETS-50	4 0	0.0	0	0	0
Total:	0	0.0			

4. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
VTF5475 Vapor Injection Well	SVI-ETS-505	_0

5. Comments:

This treatment facility was shut down on 10-12-07 due to a FY2008 funding reduction. The facility will be restarted once a solution for mixed waste generation is implemented.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 09-12-2014

1. Reporting Period: Business Month September Year 2014

2. Dates (in bold and underline ) treatment facility operated

August 30 31 September 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	(°F)	of Op.
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2211	0	0.0	0	0	0
W-2212	0	0.0	0	0	0
W-ETS-507	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
W-2303	0	0.0	0	0	0
SVI-ETS-504	0	0.0	0	0	0
Total:	0	0.0		THAT STORY	

4. Discharge Information:

Discharge Location Receiving
Water Station Volume


VTF5475 Vapor Injection Well SVI-ETS-505 0

5. Comments:

This treatment facility was shut down on 10-12-07 due to a FY2008 funding reduction. The facility will be restarted once a solution for mixed waste generation is implemented.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 10-20-2014






Figure 1. Livermore Site treatment areas and treatment facility locations.




Figure 2. Ground water elevation contour map based on 114 wells completed within HSU-1B showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.




Figure 3. Ground water elevation contour map based on 166 wells completed within HSU-2 showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.




Figure 4. Ground water elevation contour map based on 78 wells completed within HSU-3A showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.




Figure 5. Ground water elevation contour map based on 34 wells completed within HSU-3B showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.




Figure 6. Ground water elevation contour map based on 34 wells completed within HSU-4 showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.




Figure 7. Ground water elevation contour map based on 50 wells completed within HSU-5 showing estimated hydraulic capture areas, LLNL and vicinity, third quarter 2014.